

# Fireside Collection

2025 - 2026



**CALL FIRE**



Major UK Wholesaler of  
Fireside Accessories, Service  
& Maintenance Products

Stove Glass	Page 3
Cleaning & Restoration	Pages 4 - 7
Stove Rope & Tapes	Pages 8 - 10
Service & Installation	Pages 11 - 16
Firelighters	Page 17
Stove Bright Paint	Pages 18 - 19
Ecofans	Pages 20 - 22
Colour Matching Accessories	Pages 23 - 24
Coal Buckets	Pages 25 - 27
Kindling & Log Baskets	Pages 28 - 31
Log Carriers & Racks	Pages 32 - 37
Tools & Accessories	Pages 38 - 41
Hearth Tidies & Bellows	Pages 42 - 43
Companion Sets	Pages 44 - 48
Nursery Guards & Fireguards	Pages 49 - 51
Classic Firescreens	Pages 52 - 55
Castings	Pages 56 - 61
Firebaskets	Pages 62 - 66
Frets & Solid Fuel	Pages 67 - 71
Fenders	Pages 72 - 75
Homewares	Pages 76 - 77
Outdoor Range	Page 78

CALFIRE supply to trade accounts all over the Country, however members of the public are welcome to browse through this catalogue or visit the companies website at [www.calfire.com](http://www.calfire.com). Contact with the company can be made through an email facility where product information or details of local stockists can be ascertained.

Alternatively contact your stockist or telephone our friendly staff on **01691 772922**

Please note that specified finishes such as Brass, Antique, Chrome, Pewter, Copper, Copper Bronze & Steel relate to the colour only and not the material.



Throughout pages 3-78 of this catalogue, British Manufactured items are clearly indicated with the union flag for your information.

Fireside Products listed in this catalogue are either manufactured using Mild Steel and or Cast Iron.

Due to studio lighting and printing inks, the colours shown in this catalogue may differ slightly from those of the actual products. Any dimensions or weights given are approximate and should only be used as a guide. Key to dimensions: H=Height; D=Depth; W=Width; L=Length. Calfire's aim is one of constant improvement and the company reserves the right to change specifications without written notice. Reproduction of the photographs in this catalogue is prohibited without the prior written permission from Calfire Ltd.

# Stove Glass

## Stove Glass Panels, Strips & Mica



### Panels

Calfire Panels are manufactured from the finest quality ROBAX® glass-ceramic by SCHOTT. Sizes are available from stock for all leading stoves and our in-house cutting facility means any size and shape can be quickly supplied to order.

### Mica

Ready cut stove panels and standard sheets are available.



### Curved Panels

We now stock a selection of curved ROBAX® glass-ceramic panels for some popular stoves. Please refer to our price list for more details.

### Strips

Replacement Strips are supplied from the highest quality 4mm ROBAX®.

Calfire have Strips to suit the majority of stoves on the market and can supply specials with a rapid response guaranteed.



**We recommend when replacing new glass panels to also replace the thermal rope seal.**

**Please refer to pages 8, 9 & 10**

## ROBAX NightFlame®

Discreet privacy screen

With ROBAX NightFlame™ by SCHOTT, the combustion chamber and its residues are stylishly concealed when the fireplace is turned off. This ensures that even when not in use, a wood-burning stove remains an elegant focal point in any space – something you'll appreciate at any time of day.

Call Calfire for more information.

## ROBAX® Dry Wiper



A dry glass cleaner specifically developed by SCHOTT ROBAX® for cleaning glass-ceramic fire-viewing panels.

DRY WIPER x1  
**13605S**

DRY WIPER x14  
**13605**  
Counter Display Box



## Spray-on Stove Glass and Vitreous Enamel Cleaner



**13011** 500ml

Removes the toughest tar, soot and creosote stains from stove window glass.

## Fireplace Cleaner



**13012** 500ml

Removes stains from Stone, Brick and Concrete.

## Super Seal



**13001** 30ml

**13002** 100ml

**13003** 500ml

A High temperature adhesive used to secure thermal rope/tape and ceramic fibre seal.

## Super Silicone



**13004** 80ml

Black Silicone Sealant for use where good adhesion and a flexible bond is required with a high temperature resistance to 300c. Used to secure thermal rope/tape and ceramic fibre seal.

## Stove Rope Seal



**13005** 50ml

Clear Ultra -High Temperature adhesive used to secure rope/tape and ceramic fibre seal.

## Slate Sheen



**13017** 500ml

Seals and protects slate, enhancing its natural beauty, repelling dirt and water whilst allowing the slate to breathe.

## Flue & Chimney Cleaner



**13018** 750g

Flue free helps to maintain clean chimneys for maximum efficiency, lower fuel costs and a reduced risk of fire.

## Stove & Grate Polish



**13019** 170g

A water based graphite polish suitable for wood/coal stoves, grates and surrounds.

## Slate Oil



**13020** 100ml

Seals and protects slate, enhancing its natural beauty, repelling dirt and water whilst allowing the slate to breathe.

## Coal Paint



**04039** 400ml

Rejuvenating or adding a decorative finish to ceramic coals.

## Cleaning Paste



**13021** 400g

Glass cleaning paste to be used regularly with a non-metallised abrasive pad or sponge.

## Stove & Grate Polish



**13504** 170g

A water based graphite polish suitable for wood/coal stoves, grates and surrounds.

## Black Stove & Grate Polish



**13503** 75ml tube

A water based graphite polish suitable for wood/coal stoves, grates and surrounds.

## Multi-use Metal Polish



**13512** 150ml tube

A very effective polish for use on copper, brass, nickel, pewter, chrome and gold. Multi-use metal polish gives a cleaner, more protective, longer lasting shine.

## Glass Cleaner



**13506** 320ml aerosol

A foaming formula that will stick to vertical surfaces to dissolve smoke stains and tar/creosote deposits.

## Fireplace Cleaner



**13510** 500ml

Uses Oxygen based bleaching action to remove smoke, soot and tar stains from stone, concrete, marble and other hard surfaces.

## Xylene Thinners



**13518** 125ml

Ideal for use with Stove Bright HT paint. Xylene thinners can be used to clean surfaces, clean brushes and any other equipment that has been used with oil based paints.

## Slate Oil



**13515** 100ml

Seals and protects slate, enhancing it's natural beauty, repelling dirt and water whilst allowing the slate to breathe.

## Spray-on Glass Cleaner



**13517** 750ml spray

This cleaner clings to vertical surfaces to dissolve smoke stains and tar/creosote deposits.

## Coal Paint



**13516** 300ml aerosol

An high temperature paint for applying a decorative finish to new or for rejuvenating old, ceramic coals.

## Flue Free Chimney Cleaner



**13500** 750g

Flue free helps to maintain clean chimneys for maximum efficiency, lower fuel costs and a reduced risk of fire. Now non corrosive to Stainless Steel.

## Heat Bond



**13523** 30ml

**13524** 125ml

A Non-toxic fixative specially formulated for bonding sealing rope onto solid fuel stoves or cookers.

## Matt Black Stove Paint



**13520** 150ml

**13521** 250ml

**13522** 450ml

A High Temperature paint for applying to stoves and metal surfaces.

## Flue Free Chimney Cleaner



**13501** 90g

Flue free helps to maintain clean chimneys for maximum efficiency, lower fuel costs and a reduced risk of fire. Now non corrosive to Stainless Steel.

## Trollull Dry Wiper



**13606** Pack of 2

Scratch-Free glass cleaner for professionals. Removes paint and dirt from window glass and tiles- soft and safe! the working side is made of extra fine rust-free stainless-steel wool. It can be used in combination with solvents and household detergents.

- Windows
- Glass
- Mirrors
- Tiles

## Lint Free Cloths



**13519**  
300 x 300mm Cloths  
(Pack of 3)

Machine washable lint cloths. Ideal for applying products such as cleaners, polishes and oils.



## Peek Cream Polish

**13600** 100ml  
**Peek**

Peek is a 4-in-1 cleaner that cleans, polishes, restores and protects 38 surfaces including brass, copper, stainless steel, silver, gold, chrome, fibreglass, ceramics, glass, acrylics and painted surfaces.

## Panel Replacement Accessories

Calfire thermal rope seal is fitted to stove and oven doors to provide an air tight seal. Secure with Calfire Super Seal.

### Thermal Rope Seal

Supplied in 2 metre packs or 25 metre rolls with thicknesses ranging from 3mm to 25mm. Please note that 2 metre packs with an 'S' suffix include a 50ml Calfire Superseal & 2 metre packs with an 'BS' suffix include a 80ml Calfire Super Silicone. The packs also include a strip of end sealing tape.



	3mm	6mm	8mm	9mm	10mm	12mm	13mm	14mm	15mm	16mm	18mm	25mm
White 2M Pack	10002S 1002BS	10006S 10006BS	10010S 10010BS	N/A	10014S 10014BS	10018S 10018BS	N/A	N/A	10022S 10022BS	N/A	10026	10030
White 10M Pack	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10032
White 25M Reel	10004	10008	10012	N/A	10016	10020	N/A	N/A	10024	N/A	10028	10033
Black 2M Pack	N/A	10035S 10035BS	10039S 10039BS	10058S 10058BS	10043S 10043BS	10047S 10047BS	10069S 10069BS	N/A	N/A	10067S 10067BS	10066S 10066BS	N/A
Black 25M Reel	N/A	10037	10041	10059	10045	10049	10070	N/A	N/A	10068	10065	N/A
Black Soft 2M Pack	N/A	10050S 10050BS	10052S 10052BS	N/A	10054S 10054BS	10056S 10056BS	10071S 10071BS	10061S 10061BS	N/A	N/A	N/A	N/A
Black Soft 25M Reel	N/A	10051	10053	N/A	10055	10057	10072	10060	N/A	N/A	N/A	N/A



Part numbers with an 'S' suffix include a 50ml Calfire Super Seal and a strip of end sealing tape



Part numbers with an 'BS' suffix include a 80ml Calfire Super Silicone and a strip of end sealing tape

## Thermal Rope End Sealing Tape

Tape which prevents thermal rope ends fraying




### Standard Roll

**10601** White  
**10602** Black  
2.5cm x 10M Roll.

### Quick Release Roll

**10603** White  
**10604** Black  
2.5cm x 10M Roll.



**White Thermal Tape** - Secure with Calfire Superseal or Calfire Super Silicone.

**10510** - 40mm x 2mm x 2 metres

**10512** - 40mm x 2mm x 25 metres



### White Adhesive Thermal Tape -

**10518** - 15mm x 2mm x 2 metre reel

**10520** - 15mm x 2mm x 25 metre reel

**10526** - 25mm x 2mm x 2 metre reel

**10528** - 25mm x 2mm x 25 metre reel



**White Thermal Ladder Tape** - Calfire ladder tape is used for protecting the edges of glass panels.

**10562** - 25mm x 3mm x 2 metres

**10564** - 25mm x 3mm x 25 metres



**10569** - 20mm x 3mm x 2 metres **P Section**

**10570** - 20mm x 3mm x 25metres **P Section**



### Black Adhesive Thermal Tape

**10571** - 8mm x 3mm x 2 metres

**10572** - 8mm x 3mm x 25 metre reel

**10542** - 10mm x 2mm x 2 metres

**10544** - 10mm x 2mm x 25 metre reel

**10546** - 15mm x 2mm x 2 metres

**10548** - 15mm x 2mm x 25 metre reel

**10573** - 20mm x 2mm x 2 metres

**10574** - 20mm x 2mm x 25 metre reel

**10580** - 40mm x 2mm x 2 metres

**10581** - 40mm x 2mm x 25 metre reel



**Black Adhesive Thermal Ladder Tape** - Calfire ladder tape is used for protecting the edges of glass panels.

**10565** - 17mm x 2mm x 2 metres

**10566** - 17mm x 2mm x 25 metres



Black Over Braid Thermal Rope - Secure with Calfire Superseal or Calfire Super Silicone.

- |                                 |                                  |
|---------------------------------|----------------------------------|
| <b>10063S</b> - 13mm x 2 metres | <b>10063BS</b> - 13mm x 2metres  |
| <b>10062</b> - 13mm x 25 metres | <b>10064</b> - 10mm x 3 metres   |
| <b>10073S</b> - 16mm x 2 metres | <b>10073BS</b> - 16mm x 2 metres |



Black P Section Bead - **P section** bead is used to create an airtight stove glass seal on specific stoves.

- |  |  |
|--|--|
| <b>10567</b> - 10mm x 15mm tail x 0.5 metres | <b>10568</b> - 10mm x 15mm tail x 2 metres |
|--|--|



White P Section Bead - **P section** bead is used to create an airtight stove glass seal on specific stoves.

- |  |
|--|
| <b>10575</b> - 10mm x 10mm tail x 1.5 metres |
|--|



Ceramic Fibre Seal - Secure with Calfire Superseal or Calfire Super Silicone.

- |                                      |                                       |
|--------------------------------------|---------------------------------------|
| <b>14028</b> - 6mm x 4mm x 10 metres | <b>14031</b> - 10mm x 4mm x 10 metres |
|--------------------------------------|---------------------------------------|



Wire Reinforced Glass Fibre Seal Black.

- |                                |                                |
|--------------------------------|--------------------------------|
| <b>10576</b> - 12mm x 2 metres | <b>10577</b> - 16mm x 2 metres |
|--------------------------------|--------------------------------|



Hollow Core Wire Reinforced Glass Fibre Seal Black.

- |                                |
|--------------------------------|
| <b>10578</b> - 14mm x 2 metres |
|--------------------------------|



Heat treated Glass Sleeveing.

- |                               |
|-------------------------------|
| <b>10579</b> - 9mm x 2 metres |
|-------------------------------|



## Fire Cements & Compounds

### Mouldable Firebrick



For quick and economical repairs or replacements for firebricks in any heating appliance, stove, open fire, wood burner etc. Tested to 1600°C

**12021** 5Kg

### Premium Fire Cement



**Buff Cement**  
**12001** 500g  
**12002** 1Kg  
**12003** 2Kg  
**12025** 5Kg

**Black Cement**  
**12008** 500g  
**12009** 1Kg  
**12010** 2Kg  
**12026** 5Kg



A range of premium ready mixed fire cement. Ideal for patching and repairs to firebricks, fireplaces, solid fuel ovens, boilers and central heating systems. Tested to 1250°C

**Black Cartridge**  
**12007** 310ml

### Heat Resistant Tile Adhesive



Ready-mixed adhesive for fixing tiles in areas subject to high temperatures, such as fire surrounds, behind boilers, cookers and radiators. Resistant to 1000°C.

**12023**

310ml Cartridge

### Heat Resistant Sealant



A ready mixed high temperature sealing and caulking paste for use in fixing and jointing as well as for fire protection. Will withstand up to 1250°C.

**12027**

310ml Cartridge Beige

### Super Silicone 300C



Providing excellent adhesion to most building materials, this product is specifically designed and recommended for high temperature applications up to 300°C.

**12024**

300ml Cartridge Black

### Heat Resistant Silicone 1200C



High performance permanently flexible silicone sealant for all high temperature requirements. Heat resistant to 1200°C, does not harden or crack like fire cement. **This product should not be used near naked flames or hot gases.**

**12028** 310ml Cartridge Black

**12029** 310ml Cartridge Clear

## Smoke Pellets

**14002** 13g (TUBE6)    **14061** 5g (TUBE6)  
**14065** 13g (TUB100)    **14066** 5g Encapsulated (TUB 10)  
**14067** 5g Encapsulated (TUB 50)



**Smoke Matches**  
**14001** CLASSIC (BOX12)



## Heat Resistant Gloves



### **14080 Red**

Pair Bagged with header card

### **14080UB**

60 Pairs of un-bagged gloves

### **14083 Black**

Pair Bagged with header card

## Gas Fire Spares - Ceramics

**Ceramic products are not suitable for Solid Fuel**



Moulded Coals Small

**14049** (BAG15)



Moulded Coals Large

**14050** (BAG10)

Ripped Coals Small

**14043** (BAG15)

Ripped Coals Large

**14044** (BAG10)



### **14113**

GAS EMBER PACK

250g



## Mini Eurocowl Static Anti-Downdraught Cowl

Designed to cure smoky fireplaces. Prevents down-draughts by creating a positive airflow whatever the wind direction. Fits flue sizes 125mm to 250mm internal diameter. Also prevents birds, vermin and rain entry. Suitable for all fuels. Supplied fully assembled and ready to fit.  
Maintenance: High dome allows for effective sweeping in situ. Approvals: BS/EN 1856-1 2009.



**14087**  
Mini Eurocowl Terracotta  
Stainless Steel



**14089**  
Mini Eurocowl Natural  
Stainless Steel



**14090**  
Mini Eurocowl Black  
Stainless Steel


## Vermiculite Boards



Board made from Exfoliated Vermiculite and has a high temperature resistance suitable for hotface applications up to 1100°C. The boards are easily cut to size with woodworking tools, the linings contain no ceramic or Asbestos fibres are non-dusting, non-irritant and odourless.

- |   |  |
|---|--|
| <p>PLAIN<br/><b>14138</b><br/>H100 W60 D2.5cm<br/>(1000x600x25mm)</p> | <p>PLAIN<br/><b>14139</b><br/>H50 W60 D2.5cm<br/>(1000x600x25mm)</p> |
| <p>PLAIN<br/><b>14140</b><br/>H100 W60 D3cm<br/>(1000x600x30mm)</p>   | <p>PLAIN<br/><b>14141</b><br/>H50 W60 D3cm<br/>(1000x600x30mm)</p>   |

## Vermiculite Fire Bricks



**Vermiculite Coal Saver Fire Brick Sets:**  
All Sides measure W17 H15cm (6.75x6")  
Small Back measures W20 H15cm (8x6")  
Large Back measures W26 H15cm (10x6")

- 14163** SMALL - FITS 16" GRATE  
**14164** LARGE - FITS 18" GRATE



- 14161** PLAIN 23x11.4x2.5cm (9x4.5x1")  
**14162** PLAIN 23x11.4x3cm (9x1.5x1.25")

**Fire bricks made from vermiculite board.**

## Vents



**14173**  
Brass Floor Vent

- \* 280 x 108mm
- \* Hole Size 213 x 76mm
- \* Free Area 100 cm<sup>2</sup> -
- \* Rated Input - Max 27kW



**14174**  
Chrome Floor Vent



**14159**  
3 1/4" Core Drill  
Wall Vent  
Brown Ext Cowl

- \* 82mm (3 1/4") Dia
- \* 350mm Tube Len
- \* Free Area cm<sup>2</sup> -
- \* Rated Input - Max 15kW (
- \* Not suitable for gas appliances



**14175**  
3 1/4" Core Drill  
Wall Vent  
White Ext Cowl



**14112**  
5" Core Drill  
Wall Vent

- \* Brown External Cowl
- \* 127mm (5") Diameter.
- \* 350mm (14") Tube Length
- \* Free Area cm<sup>2</sup> - 70 with baffle, 100 without baffle
- \* Rated Input - Max 21kW (71,500 Btu/h) with baffle
- \* Anti-draught baffle supplied which reduces the 'Effective Free Area'

**14178**  
82mm Direct Ventilation Kit

- \* Terracotta External Cowl
- \* Kit for stoves with a 75-80mm dia. air supply outlet
- Contains:
- \* x1 6x3 Louvre Ventilator, x1 Backplate with a 74.5mm dia. spigot,
- x1 82mm Int dia x 1.5m L Semi Rigid Aluminium Rythose and x2 Jubilee clips

**14179**  
100mm Direct Ventilation Kit

- \* Terracotta External Cowl
- \* Kit for stoves with a 100mm dia. air supply outlet
- Contains:
- \* x1 6x6 Louvre Ventilator, x1 Backplate with a 97mm dia. spigot,
- x1 102mm Int dia x 1.5m L Semi Rigid Aluminium Rythose and x2 Jubilee clips



## Stove Thermometers



**14024**  
CALFIRE  
Magnetic Stovepipe  
Thermometer  
Dia.63 (2.5")

Ensure your stove is operating at the correct temperature by using this magnetic thermometer that attaches to your stove pipe.



**14025**  
CALFIRE  
Magnetic Stove  
Thermometer  
Dia.63 (2.5")

Ensure your stove is operating at the correct temperature by using this magnetic thermometer.



**14077**  
CONDAR  
Magnetic Stovetop  
Thermometer  
Dia.63 (2.5")

Ensure your stove is operating at the correct temperature by using this magnetic thermometer that sits on your stovetop.

## Carbon Monoxide Detector



**14171**  
10 Year Sleepsafe  
Carbon Monoxide Detector

Certified to EN50291-1:2010 - Sealed for life battery - Loud audio alert - 3 LED visual readouts - Test / Silent button - Portable, free standing or mountable.

## Digital 3 Colours Moisture Meter




**14117**  
Digital Moisture Meter

Moisture Meter to measure the level in sawn timber and other materials including the environmental temperature. With a wood measurement range of 8 – 60% and an accuracy of +/- 2%, this unit is ideal for checking your wood is well seasoned at the recommended level of around 20%. Red, Amber or green back light to indicate if the wood is dry, has increased or excessive moisture.

## Chimney Rods & Brushes



Affordable flexible rods made in Britain using "Superflexy" 12mm diameter rod for added strength and durability. The rods have a high quality brass screw end with 1/2" Whitworth screw fitting featuring chamfered edges to minimise risk of damaging any flexible liners.



Flexible Rod  
**14135** 1 Metre Rod



Superflexy Rod  
**14136** 1 Metre Rod  
(39")

Soft & Medium bristle brush with protected end boss and Whitworth 1/2" male end screw fitting. Designed for sweeping insulated metal chimneys and flexible flue liners with our flexible rods, where greater flexibility is needed to cope with bends. This can be used with the 1/2 inch to 3/4 inch connector.



Medium Bristle Brush  
**14131** 5"/12.5cm Brush Orange

**14132** 6"/15cm Brush Orange



Soft Bristle Brush  
**14133** 5"/12.5cm Brush White

**14134** 6"/15cm Brush White

Brass Rod Adapter  
**14137**  
1/2" Whitworth to Universal 3/4"



## Strikeable



**14170**  
Pack quantity 24

The 2 in 1 Safety match and Firestarter. Ideal for Stoves, Open fires, BBQ's and Chimineas. Burning time over 10 Minutes, clean to use.

## Individual Sachet



**14172**  
Pack quantity 40

Unique in the UK, simple and hygienic to use, just light the wrapper. Suitable for use in smokeless zones for domestic solid fuel appliances, including multi-fuel stoves and bbq's.

## Wood Wool



**14177**  
Bag Weight 400g  
Approx 32pcs

Wood wool firelighters are produced from natural raw materials. Natural odourless, Burns Co2 neutral, long burn time. Great for wood burners, stoves, BBQ's and camping!

## Fire Starter Kit



**14158**  
Fire Starter Kit

The Perfect starter kit for your customer. Kit contains Kiln dried (25cm) logs, Kiln Dried Kindling, Flammers natural firelighters (3 pack) and a handy box of matches.

Box dimensions: 38.4cm x 29cm x 22.5cm high

## Flamers



**14155** Flammers Pack quantity 24

**14156** Flammers Pack quantity 50

**14157** Flammers 200 Pack

Flammers firelighters contain natural wood shavings and fully refined paraffin wax. Natural, odourless, easy to light and have a long burn.

## Coal Paint

HTP Aerosol 400ml

Rejuvenating or adding a decorative finish to ceramic coals. Fast drying.

**04039**  
Flat Black



## Touch Up Paint

HTP 236ml (½ US Pint)

Rejuvenating or adding a decorative finish to ceramic coals. Fast drying.



**05101**  
Flat Black

**05102**  
Satin Black

**05103**  
Metallic Black

## Aerosol Can Gun

Firmly snaps onto an aerosol to provide greater and more comfortable spray control



**04051**  
Aerosol Can Gun

## BBQ Paint

Stove Bright BBQ paint can be used on metal surfaces. Rapid cure. Heat Resistant and resistant to animal and vegetable fats.



**04201**  
Black  
HTP Aerosol 400ml

## Xylene Thinners

Ideal for use with Stove Bright HT paint. Xylene thinners can be used to clean surfaces down, clean brushes and any other equipment that has been used with oil based paints.



**13518**  
125ml

## Gas Vent Pipe Paint

Stove Bright Gas Vent Pipe Paint can be used on Double Wall Flue Pipe to match Vitreous Enamel Finishes. This is a high gloss coating capable of withstanding surface temperatures to 120°C.



**04101**  
Black Ebony  
HTP Aerosol 400ml



Colour Charts are available on request

## Stove Bright® High Temperature Paint

Stove Bright High Temperature Paint is a high quality, fast drying, high temperature paint for use on wood stoves, pipes, boilers, furnaces, flue pipes, ovens, engines, manifolds, barbecues and cast iron chimineas etc. It can be used on any steel product with extreme surface temperatures up to 650°C and is ideal for touching up ceramic coals. Unique in offering 3 'blacks' and a range of over 30 colours, Stove Bright is used by many of the leading stove manufacturers as their factory finish.

### HTP AEROSOL CODES: 400ml

04001	FLAT BLACK	04020	SILVER (ALUMINIUM)
04002	SATIN BLACK	04021	METALLIC MAHOGANY
04003	CHARCOAL	04022	BROWN BARK
04004	METALLIC BLACK	04023	PATRIOT BLUE
04005	METALLIC BROWN	04024	METALLIC RICH BROWN
04006	GOLDENFIRE BROWN	04025	METALLIC RED PRIMER
04007	HONEY GLO BROWN	04026	MEDIUM TEMPERATURE CLEAR
04008	METALLIC MOSS GREEN	04027	COPPER
04009	FORREST GREEN	04028	GREEN ILLUSION
04010	REDWOOD	04029	TERRA COTTA
04011	ALMOND	04030	SHIMMERING ROSE
04012	METALLIC BLUE	04031	SUNSET
04013	METALLIC GREY	04032	SURF SAND
04014	MAUVE	04033	PEWTER
04015	GOLD	04034	EMERALD GREEN
04016	RUSSET	04037	LEATHER BROWN
04017	SAND	04038	NEW BRONZE
04018	MOJAVE RED	04040	LIGHT CHARCOAL
04019	SKY BLUE		

## AIRDECO Ecofan

The Caframo AirDeco 8200 series heat-powered fans are designed to circulate the warm air created by a wood-stove.

The 8203 AirDeco generates up to 160 Cubic Feet (of Air) per Minute, and the 8204 AirDeco generates 190 Cubic Feet (of Air) per minute. Both fans can be used as an equivalent to the BelAir Ecofan due to the low starting temperature.

**Both fans are sold with a 4 Year Warranty.**




### E8203BB

AirDeco Ecofan  
W11 D6.6 H22.3cm  
(4.3x2.6x8.75")  
Min Stove Temp 65°C

### E8204BB

AirDeco Ecofan  
W11 x D7.6 x H23.9cm  
(4.3x3x9.4")  
Min Stove Temp 70°C



**It is important to read and follow the instructions on the correct placement of the Ecofan to ensure satisfactory long term use and that your stove is working within the temperature range of 'best operation'. We recommend the use of our Stovetop Thermometers; see page 15 for details.**

## Spare Parts for Ecofans

Replacement Motor Kits are available for the Ecofans as detailed below. Unfortunately, we are unable to offer thermo-electric modules for sale as their replacement is a controlled process involving strict torque settings. If you believe the module has failed you are welcome to send your Ecofan to CALFIRE who will quote you accordingly. Please note that we will only sell Ecofan spare parts for use on original Ecofans; not for any other purpose.

## Motor Replacement Kits

After much usage, an Ecofan motor can wear out. Motor Replacement Kits are available for customers who wish to install a new motor rather than sending the old unit back to CALFIRE for repair, or purchasing a new Ecofan. The replacement task is straight forward; however on some older models the consumer must have the capability to solder the new motor to the existing wires. The replacement kit comprises a new motor, an Allen/hex key to remove the blade and full instructions.

\* To see how easy it is to change the motor on the 810 or 812 Ecofans view the video online at [www.ecofan.co.uk/videos.html](http://www.ecofan.co.uk/videos.html) or scan the QR code below with your smart-phone or tablet.



ES006



ES009



ES017

ES006 800 Original, 802 AirPlus or 806GS (Soldering & Push-On Type), 815 Original Mini

ES009 810 UltraAir, 812 AirMax, 8200 AirDeco range (Push-On Type Only)

ES017 806 BelAir (2014 Model - Push-On Type Only)



**Ecofan** <sup>BelAir</sup>



**E806BB**

The Caframo BelAir Ecofan 806 is a heat-powered fan designed to circulate the warm air created by many low temperature gas, pellet or contemporary stoves operating with normal surface temperatures of between 75°C and 200°C. The BelAir Ecofan generates up to 140 Cubic Feet (of Air) per Minute. (At 75°C it will move 50 CFM ). The BelAir Ecofan must not be used on a wood-stove or where the surface temperature exceeds 200°C .

Dims: Base Plate W16.2 D6.1cm (6.4x2.4"). H24.1cm (9.5") from base to top of blade. Blade diameter 23.2cm (9")

**Ecofan** <sup>AIRMAXDUO</sup>



**E814BB**

The Caframo AirMax DUO Ecofan 814 is a heat-powered fan designed to circulate the warm air created by a wood-stove operating with normal surface temperatures of between 75°C and 345°C. The DUO is the first fan proven to deliver over 200 CFM! (At 75°C it will move 50 CFM ).

Dual modules make the AirMax DUO the highest performing Ecofan to date. Optimized power transfer, quicker start time and an updated blade contour for increased airflow.

Dims: Base Plate W12.7 D9.1cm (5x3.5"). H235cm (9.25") from base to top of blade. Blade diameter 23.2cm (9")

**5 YEAR WARRANTY**

**Ecofan** <sup>AIRMAX</sup>



**E812BB**

The Caframo AirMax Ecofan 812 is a heat-powered fan designed to circulate the warm air created by a wood-stove operating with normal surface temperatures of between 85°C and 345°C. The AirMax Ecofan 812 generates up to 175 Cubic Feet (of Air) per Minute. (At 85°C the AirMax Ecofan 812 will move 50 CFM )

Dims: Base Plate W121 D82 (4.75x3.25"). H248 (9.75") from base to top of casting, excluding handle. Blade diameter 232mm (9")

**Ecofan** <sup>ULTRAIR</sup>



**E810BB**

The Caframo UltraAir Ecofan 810 is a heat-powered fan designed to circulate the warm air created by a wood-stove operating with normal surface temperatures of between 100°C and 345°C. The UltraAir 810 Ecofan generates up to 125 Cubic Feet (of Air) per Minute. (At 100°C the UltraAir Ecofan 810 will move 50 CFM )

Dims: Base Plate W12.1 D7.6cm (4.75x3"). H22.2cm (8.75") from base to top of casting, excluding handle. Blade diameter 20.6cm (8")

**Ecofan** <sup>ORIGINAL</sup>



**E800BB**

The Caframo Original Ecofan 800 is a heat-powered fan designed to circulate the warm air created by a wood-stove operating with normal surface temperatures of between 110°C and 345°C. The Original Ecofan 800 generates up to 100 Cubic Feet (of Air) per Minute. (At 110°C the Original Ecofan 800 will move 50 CFM )

Dims: Base Plate W10 D7.5cm (4x3"). H23.5cm (9.25") from base to top of blade, excluding handle. Blade diameter 20.5cm (8")

**Ecofan** <sup>ORIGINAL MINI</sup>



**E815BB**

The Caframo Original Mini Ecofan 815 is a heat-powered fan designed to circulate the warm air created by a wood-stove operating with normal surface temperatures of between 110°C and 345°C. The Original 815 Mini Ecofan generates up to 85\* Cubic Feet (of Air) per Minute. (At 115°C\* the Original Mini Ecofan 815 will move 50 CFM)

Dims: Base Plate W10 D7.5cm (4x3"). H16.5cm (6.5") from base to top of blade, excluding handle. Blade diameter 16cm (6.3")

## Ecofans - UK website [www.ecofans.co.uk](http://www.ecofans.co.uk)

The Caframo Ecofan is a heat-powered fan designed to circulate the warm air created by a wood or gas stove. Improved warm air circulation results in greater comfort and less fuel consumption.

### Why buy a Stove Fan?


- \* **Costs nothing to run...** Using the heat from the stove, a Stove Fan is the most economical way to effectively circulate the warm air your stove produces. No cables, plugs or batteries are required.
- \* **Cuts your fuel bills...**
- \* **Increased Efficiency...** warm air is pushed out into the living area rather than just rising to the ceiling above the stove. This improves the heating effectiveness of the stove and results in greater room comfort as shown below.

#### \* Heat distribution without a Caframo Ecofan



\* Simulation

#### \* Heat distribution with a Caframo Ecofan



\* Simulation

### Reasons to buy a Genuine Caframo Ecofan

- \* Caframo have two decades of experience perfecting the Ecofan. **This means lower failures and higher customer satisfaction.**
- \* Caframo Ecofans are made in Canada, last longer and utilise a superior design that operates more efficiently and effectively than 3, 4 or 5 blade models.
- \* More Caframo Ecofans have been sold than all other stove top fans combined.
- \* Test results using AMCA testing standards prove that most air flow claims made by other stove top fan manufacturers are exaggerated, some by as much as 45%.
- \* **Fully CE compliant for Immunity Emissions and Product Safety**
- \* **All Caframo Ecofans are sold with a 2 or 4 year warranty.**



Caframo Ecofans are assembled in CANADA with domestic and imported parts



Caframo Ecofans fully comply with all CE Immunity Emissions and Product Safety requirements.

### How to get the most from your Ecofan

Placement of your Ecofan on your stove top is critical. Be sure to position the Ecofan on the stove so that cool air will be drawn over the 'cooling fins'. The Ecofan should not be used directly in front of the stovepipe or at the front of the stove. Place the Ecofan at the back edge of the stove as shown in the diagram. Should the gap between the rear of your stove and your wall be less than 150mm (6") then move your Ecofan forward, along the side of your stove and turn it in slightly. This should ensure your fan can draw the necessary cooler air from the rear/side of your stove.





Grey

**23144**

Match Box Holder  
H15xW9xD5cm  
(6x3.5x2")

**23139**

Large Kindling Bucket  
Dia 30cm  
(12")

**23146**

Fire Lighter Holder  
H20xW13.5xD9cm  
(8x4x3.5")

**23140**

Large Ash Bucket  
Dia 30cm  
(12")

**23138**

Small Kindling Bucket  
Dia 23cm  
(9")

**23149**

Match Holder Inc Matches  
Height: 11"  
with matches



Antique Pewter

**23145**

Match Box Holder  
H15xW9xD5cm  
(6x3.5x2")

**23142**

Large Kindling Bucket  
Dia 30cm  
(12")

**23147**

Fire Lighter Holder  
H20xW13.5xD9cm  
(8x4x3.5")

**23143**

Large Ash Bucket  
Dia 30cm  
(12")

**23141**

Small Kindling Bucket  
Dia 23cm  
(9")

**23150**

Match Holder Inc Matches  
Height: 11"  
with matches

# Colour Matching Accessories



Ivory

**29090**

Match Box Holder  
H15xW9xD5cm  
(6x3.5x2")

**23116**

Large Kindling Bucket  
Dia 30cm  
(12")

**29092**

Fire Lighter Holder  
H20xW13.5xD9cm  
(8x4x3.5")

**23117**

Large Ash Bucket  
Dia 30cm  
(12")

**23133**

Small Kindling Bucket  
Dia 23cm  
(9")

**23148**

Match Holder Inc Matches  
Height: 11"  
with matches



Black

**29091**

Match Box Holder  
H15xW9xD5cm  
(6x3.5x2")

**23118**

Large Kindling Bucket  
Dia 30cm  
(12")

**29093**

Fire Lighter Holder  
H20xW13.5xD9cm  
(8x4x3.5")

**23119**

Large Ash Bucket  
Dia 30cm  
(12")

**23134**

Small Kindling Bucket  
Dia 23cm  
(9")

**29055**

Match Holder Inc Matches  
Height: 11"  
with matches

Specified finishes  
relate to colour only  
and not material.

# Coal Buckets

## Dryton Hod



**23014**  
Black  
H53.5cm (21")  
Dia. 22.5cm (9")



**23033**  
Zinc  
H53.5 Dia 22.5cm  
(21x9")



**23080**  
Antique  
H53.5 Dia 22.5cm  
(21x9")

## Dorset Hod



**23164**  
Black/Nickel  
H 46 Dia 23.5cm  
(18x9.25")

## Cumbria Hod



**23182**  
Black  
Wood Handles  
H 54 Dia 24cm  
(21.25x9.5")

## Norfolk Hod



**23072**  
Black  
H 58 Dia 22.5cm  
(23x9")



**23073**  
Black & Brass  
H 58cm Dia.22.5  
(23x9")

Somerset



**23158**  
Black  
H 38.5 Dia 28cm  
(15x11")

Wessex



**23159**  
Black/Nickel  
H 28.5 Dia 23.5cm  
(11x9.25")

Devon



**23160**  
Black  
H 29.5 Dia 28cm  
(11.5x11")

Surrey



**23161**  
Black  
H 33 Dia 26cm  
(13x10")

Hereford



**23162**  
Black/Nickel  
H 39 Dia 28cm  
(15x11")

Wiltshire



**23181**  
Black  
H 42 Dia 23cm  
(16.5x9")

Specified finishes  
relate to colour only  
and not material.

# Coal Buckets

## Plealey



**23050**  
All Black  
Dia. 25.5cm (10")

## Kenley (Medium) Dia. 27cm (10.5")



**23015M**  
All Black

## Lancs



**23188**  
Galvanised  
H 36 Dia 25cm  
(14x10")

## Suffolk



**23163**  
Black  
H 22 Dia 19.5cm  
(8.5x7.5")

## Kenley (Set of 2) All Black



**23015/2**  
Dia. 27-33cm (10.5-13")

# Kindling

Astley



**23016**  
Black  
W38 D20.5cm  
(15x8")



CW Kindling Basket

Will hold just over half of the retail sales pack of the shorter popular kindling



**23101**  
H13 W30.5 D20cm  
(5x12x8")  
Excludes handles

Ring



**23090**  
Black  
H23 W21.5 D21.5cm  
(9x8.5x8.5")



Suitable for all kindling

Round Kindling Basket

Suitable for all kindling

**23122**  
H33 Dia.38cm  
(13x15")



CW Kindling Holder



**23095**  
Black  
H18 W22cm  
(7x8.75")



Will hold just under half of the retail sales pack of the shorter popular kindling

Marton



**23091**  
Black  
H24 W21.5cm  
(9.5x8.5")



Suitable for kindling of around 250mm long

Measurements given for log baskets exclude their handles.

# Log Baskets



**23102**

Round Rustic Log Basket  
Full rustic and buff with integral handles  
Height 39 Dia.48cm (15.5x19")



**23137**

**Liner Only** for 23102 Log Basket  
Elasticated white liner made for the 23102 basket but suitable for many round baskets with a similar diameter and integral handles.



**NEW**

**23189**

Square Deep Mill Wild Willow  
Lined Basket with wheels Weight (9.5KG)  
Height 44 Width 65 Depth 65cm (17x26x26")



**23083**

Height 38 Dia.51cm (15x20")



**23172**

Height 30 Dia.43cm (12x17")



**23123**

Buff Willow Log Basket  
Full double steamed buff willow with stripe  
Height 37 Dia.51cm (15x20")

Wild Willow Log Basket  
Full wild willow with external handles and hessian lining



**23183**

Mellowed Willow Lined  
Log Basket  
Height 38 Dia.51cm  
(15x20")



**23178**

Deluxe Four Tone Rope  
Handled Log Basket  
Height 46cm Dia.45cm  
(18x17.5")

LARGE BASKETS WILL BE CHARGED AT A PALLET RATE. PLEASE CHECK OUR PRICE LIST FOR DETAILS.



**23136**

Set2 Vertical Weave Log Baskets  
Full Buff Willow with rope handles and hessian lining

**23136L**

Large Basket H43.5 Dia.50cm (17x20")

**23136S**

Small Basket H38 Dia.42cm (15x16.5")



**23171/2**

Set2 Deluxe Rope handled Provence.  
Full Buff Willow with rope handles and white wash

**23171M**

Medium Basket H42 Dia.51cm (16.5x20")

**23171S**

Small Basket H33 Dia.40cm (13x15.75")



**23124**

Set2 Country Buff Willow Log Baskets  
Full double steamed Buff and rustic willow with lining

**23124L**

Large Basket H40 Dia.50cm (16x20")

**23124S**

Small Basket H30 Dia.39cm (12x15")

**23126**

Set2 Mellowed Full Buff Willow vertical weave with rope handles.

**23126L** Large H50 W56 D37cm (20x22x14.5")

**23126S** Small H48 W49 D30cm (19x19x12")



**23174/2**

Set2 Rectangular Double steamed Full Buff and rustic willow with integral handles

**23174M** Medium Basket H39 W58 D47cm (15x23x18.5")

**23174S** Small Basket H36 W48 D39cm (14x19x15")

**NEW**

**23177**

Set2 Oval Full Buff with rope handles

**23177L** Large Basket H39 W58 D38cm (15x23x15")

**23177S** Small Basket H36 W48 D31cm (14x19x12")





## 23135

Set3 Rope Handled Log Baskets Full wild willow  
with rope handles and hessian lining

## 23135L

Large Basket H40 W64 D47cm (16x25x18.5")

## 23135M

Medium Basket H34 W55 D42cm (13.5x21.5x16.5")

## 23135S

Small Basket H28.5 W45 D34.5cm (11x18x13.5")

## 23100

Set3 Round Willow Log Baskets Full double steamed  
buff & green willow with rope handles

## 23100L

Large Basket H28cm Dia.49.5cm (19.5x11")

## 23100M

Medium Basket H30.5cm Dia.42cm (12x16.5")

## 23100S

Small Basket H28.5cm Dia.34cm (11.5x13.5")



## 23099

Set3 Full Green, double steamed buff  
and white willow with integral handles

## 23099L

Large H39 W61.5 D46cm (15.5x24x18")

## 23099M

Medium H37 W53 D38.5cm (14.5x21x15")

## 23099S

Small H34.5 W47 D33cm (13.5x19x13")

## Stockholm



### 23120

Set 2 Log & Kindling Holders  
 Log: H29.5 Dia33cm (11.5x13")  
 Kindling: H22 Dia20cm (8.5x8")  
**Logs not supplied**

## Gothenburg



### 23151

Set of 3 Log/Kindling & Match Holder Black  
 Logs - Dia32 H29cm (12.5x11.5")  
 Kindling - Dia23 H20.5cm (9x8")  
 Matches - Dia7 H20.5cm (2.75x8")

## Copenhagen



### 23179

Set of 3 Log/Kindling & Match Holder Pewter  
 Logs - Dia32 H29cm (12.5x11.5")  
 Kindling - Dia23 H20.5cm (9x8")  
 Matches - Dia7 H20.5cm (2.75x8")

## Nordby



### 23180

Set of 3 Log/Kindling & Match Holder Copper  
 Logs - Dia32 H29cm (12.5x11.5")  
 Kindling - Dia23 H20.5cm (9x8")  
 Matches - Dia7 H20.5cm (2.75x8")

## Kiruna



**23184**

Set of 3 Log/Kindling & Match Holder Galvanised  
 Logs - Dia33 H29cm (12.5x11.5")  
 Kindling - Dia23 H20.5cm (9x8")  
 Matches - Dia7 H20.5cm (2.75x8")  
 (Matches Included)

## Arvika



**23186**

Set of 3 Log/Kindling & Match Holder Ant/Brass  
 Logs - Dia33 H29cm (12.5x11.5")  
 Kindling - Dia23 H20.5cm (9x8")  
 Matches - Dia7 H20.5cm (2.75x8")  
 (Matches Included)

## Kindling Cut Out Buckets



**23185**

Galvanised  
 H29 Dia 22cm  
 (11.5x8.5")

**23187**

Ant/Brass  
 H29 Dia 22cm  
 (11.5x8.5")



## Montana



**23152**

Copper Log Carrier  
 H30 W52 D30cm  
 (12x20.5x12")

## Fire Wood Cut Out Buckets



**23165**

Set of 2 Oval Fire wood cutout Buckets with  
 Golden Shade

Large - H32 W50 D28cm (12.5x19.5x11")  
 Small - H23 W45 D25cm (9x17.5x10")

## Fire wood Emboss Buckets

**23154L** Large - H35 W45 D45cm (13.75x17.75x17.5")

**23154S** Small - H31 W35 D35cm (12x13.75x13.75")



## Life Tree Emboss Buckets



**23155L** Large - H35 W45 D45cm (13.75x17.75x17.5")

**23155S** Small - H31 W35 D35cm (12x13.75x13.75")

## Cross Emboss Buckets

**23166L** Large - H38 W53 D40cm (15x21x15.75")

**23166S** Small - H34 W41 D32cm (13.5x16x12.5")



## Hammer Logs/Fire Wood Cut Out Buckets



**23167L** Large - H35 W45 D45cm (13.75x17.5x17.5")

**23167S** Small - H31 W35 D35cm (12x13.75x13.75")

## Hammer Logs/Fire Wood Emboss Buckets



**23168L** Large - H35 W45 D45cm (13.75x17.5x17.5")

**23168S** Small - H31 W35 D35cm (12x13.75x13.75")

## Round Emboss Buckets



**23169L** Large - H35 W45 D45cm (13.75x17.5x17.5")

**23169S** Small - H31 W35 D35cm (12x13.75x13.75")

## Cheshire



**23176**  
Black H84 W68 D23cm  
(33x26.75x9")

## Felton



Logs not supplied.  
**23065**  
Black H61.5 W40 D30cm  
(24x16x12")

## Roden



**23062**  
- Black H26.5 W51 D29cm  
(10x20x11")

## Lipley



**23130**  
Black H60.5 W41 D22cm (24x16x8.75")  
Made for standard UK length logs

## Lincoln



Logs not supplied.

**23157**  
Black Log Carrier  
H75 W30 D40cm  
(30x12x15.75")

## Forged



Made for standard UK length logs

**23128**

Black  
H42 W45.5 D20.5cm  
(16.5x18x8")

Matching fireset  
27147 available;  
see page 44



**23129**

Antique Pewter  
H42 W45.5 D20.5cm  
(16.5x18x8")

Matching fireset  
27148 available;  
see page 44

## Log Splitter



**29095**

H36 Base Dia 27.5 Upper Dia 24cms

Split your own logs with the stand alone Log splitter. This can also be screwed down for more stability and safety.

## Sling Carrier



**23112**

Black  
H40.5 W71 D24cm  
(16x28x9.5")

## Match Holder



**29072**  
Galvanised  
Holder Height H20cm (8")  
(Matches not included)



**29077**  
Satin & Polished Steel  
Holder Height H20cm (8")  
(Matches Included)



**29075**  
Ant/Brass  
Holder Height H20cm (8")  
(Matches not included)

## Long Matches



**29005**  
L28cm (11")  
90 matches per box  
16 Boxes per case

## Brush Refills



**29070** - 5cm Ø  
Round Brush (Chinese)

**29046** - 4.6cm Ø  
Round Brush (Indian)

**29056** - 4cm Ø  
Small Round Brush  
(Indian 16"  
Companion Sets)



**29009**  
Oblong Brush  
10x2.8cm



**29079**  
Straw  
Brush  
(Chinese)

## Coal Logs & Tongs



**29060** - Solid Brass Coal Tongs  
Size L26.5cm (10")



**29062** - Black Coal Tongs  
Size L26.5cm (10")



**29063** Black Log Tongs  
Size L39cm (15")



**29008** - Black Cast Coal Tongs  
Size L35cm (14")




**29059** - British Coal Tongs  
Size L33cm (13")


## Shovels



- A. **28040** 6" Steel Shovel
- B. **28039** 5" Steel Shovel
- C. **28038** 4" Steel Shovel



**28044**  
10x8" Galv Shovel



- D. **28042** 9x7" Shovel
- E. **28043** 10x8" Shovel



**29097**  
L41 W20 D 11.5cm  
(16x8x4.5")  
Shovel & Brush Set  
Black with mango wood  
handles

## Individual Tools

### Hangers



- |                            |                         |                         |
|----------------------------|-------------------------|-------------------------|
| <b>A</b>                   | <b>B</b>                | <b>C</b>                |
| <b>29054</b>               | <b>29053</b>            | <b>29052</b>            |
| 4 Position<br>L26.5cm(10") | 3 Position<br>L22cm(9") | 2 Position<br>L16cm(6") |

### Ring Top Tools - Length 45cm (18")



Toasting Fork recommended only for Ornamental use.

- |               |              |              |              |              |              |
|---------------|--------------|--------------|--------------|--------------|--------------|
| <b>29083</b>  | <b>29084</b> | <b>29085</b> | <b>29086</b> | <b>29087</b> | <b>29088</b> |
| Toasting Fork | Coal Tongs   | Shovel       | Brush        | Log Roller   | Poker        |

### Loop Top Tools - Length 45cm (18")



Toasting Fork and Roaster recommended only for Ornamental use.

- |               |              |              |              |              |              |              |              |              |
|---------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| <b>29030</b>  | <b>29031</b> | <b>29032</b> | <b>29033</b> | <b>29034</b> | <b>29035</b> | <b>29036</b> | <b>29037</b> | <b>29089</b> |
| Toasting Fork | Coal Tongs   | Log Tongs    | Shovel       | Brush        | Log Roller   | Poker        | Roaster      | Ash Scraper  |

### Rope Twist Tools - Length 45cm (18")



Toasting Fork and Roaster recommended only for Ornamental use.

- |               |              |              |              |              |              |              |              |
|---------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| <b>29038</b>  | <b>29039</b> | <b>29040</b> | <b>29041</b> | <b>29042</b> | <b>29043</b> | <b>29044</b> | <b>29045</b> |
| Toasting Fork | Coal Tongs   | Log Tongs    | Shovel       | Brush        | Log Roller   | Poker        | Roaster      |

## Pokers & Poker Sets



**29021**  
Black Poker & Stand  
H 58cm (23")



**29067**  
Poker & Ash Scraper Set. L.61cm (24"); Black



**29073**  
Brass Poker  
L 56cm (22")



**29074**  
Chrome Poker  
L 56cm (22")



**29078**  
Black Poker  
L 56cm (22")



**29065**  
Black Victorian Poker  
L 70cm (28")



**29061**  
British Poker  
L 50cm (19.5")



**29068**  
British Half Moon  
Ash Scraper  
L 50cm (19.5")



**29076**  
Sets of 5 various Pokers. L.76cm (30")

# Hearth Tidies & Bellows



**29003**  
Black Cast  
L 30cm (12")



**29064**  
Black &  
Brass Cast  
L 30cm (12")



**29081**  
Black &  
Pewter Cast  
L 30cm (12")



**29019**  
Black Large Ball  
L 34cm (13")



**29098**  
Galvanised  
Mortimer  
L 32cm (12.5")



**29049**  
Black Hook  
L 33cm (13")



**29066**  
Black Traditional  
L 38cm (15")



**29071**  
Black Loop  
L 38cm (15")



**29082**  
Black & Pewter Loop  
L 38cm (15")



**29094**  
Black Hanging  
H 43cm (17")



**29096**  
Black Wall Hanging Loop  
L 40cm (15.75")



**29080**  
Plain Hardwood Bellows  
Length 35.5cm (14")



**29069**  
Carved Hardwood Bellows  
Length 47cm (18.5")



**29016**  
Wood  
Length 42cm (16")

Ornamental use only



**29015**  
Fleur-de-lys Hardwood Bellows  
Length 47cm (18.5")

Made from Sheesham Wood, Leather & Solid Brass. Sheesham is a heavy hardwood with a rich chestnut colour. The Bellows are also made using recycled wood and may have slight blemishes and marks.

## Hordley



**27130** ■  
All Black  
H 60.5cm (24")



**27131** ■  
All Pewter  
H 60.5cm (24")

## Pyramid



**27132** ■  
All Black  
H 66cm (26")



**27133** ■  
All Pewter  
H 66cm (26")

## Eclipse



**27150** ■  
All Black  
H 53cm (21")



**27151** ■  
Black & Pewter  
H 53cm (21")

## Large Loop



**27153** ■  
All Black  
H 61cm (24")



**27154** ■  
Black & Pewter  
H 61cm (24")

## Fleur-de-lys



**27105** ■  
All Black  
H 52cm (20.5")



**27106** ■  
Brushed Steel  
H 52cm (20.5")

## Forged



**27147** ■  
All Black  
H 48.5cm (19")



**27148** ■  
Antique Pewter  
H 48.5cm (19")

## Modern Round



**27092** ■  
All Black  
H 58cm (23")

## Petton



**27137** ■  
All Black  
H 60.5cm (24")

## Ercall



**27097** ■  
All Black  
H 61cm (24")

## Tilley



**27135** ■  
All Black  
H 66.5cm (26")

## Rope Twist



Supplied with Log & Coal Tongs with Poker in centre.

**27041** ■  
All Black  
H 65cm (26")

## Traditional Top



**27108** ■  
All Black  
Round Base  
H 57cm (22.5")

## Traditional Top



**27088** ■  
All Black  
3 Legged Base  
H 60cm (24")

## Shepherds Crook



**27144** ■  
All Black  
H 71cm (28")

## Knight



**27120** ■  
Silver Black  
H 74cm (29")

## Stamford



**27152** ■  
Copper Antique  
H 54cm (21")

## Craftsman



**27140** ■  
All Black  
H 76cm (30")

## Modern Ball



**27064** ■  
All Black  
H 46.5cm (18")

## Basket



**27057** ■  
All Black  
H 41cm (16")

## Regency



**27078** ■  
All Black  
H 47cm (18")

## Duchess



**27043** H40cm (16") ■  
**27045** H48cm (19") ■  
All Black

## Burlton



**27149** ■  
All Black  
H 51cm (20")

## Cast



**27018** ■  
All Black  
H 52cm (20.5")

## Wood Stove



**27142** ■  
All Black  
H 53.5cm (21")

## Loop



**27006**  
All Antique  
H 63cm (25")



**27008**  
Black & Chrome  
H 63cm (25")



**27013**  
Black & Brass  
H 63cm (25")



**27023**  
All Black  
H 63cm (25")



**27101**  
Black & Pewter  
H 63cm (25")



**27127**  
All Pewter  
H 63cm (25")

## Basic



**27138**  
All Black  
H 70cm (27.5")

## Mortimer



**27156**  
Galvanised  
H 60cm (23.5")



**27157**  
Ant/Brass  
H 60cm (23.5")

## Gallery



**27019**  
All Black  
H 59cm (23")

## Traditional Top - Round Base



**27115**  
Black & Pewter  
H 40.6cm (16")



**27116**  
Black & Antique  
H 40.6cm (16")



**27095**  
All Black  
H 40.6cm (16")

# Companion Sets

## Acorn



**27017** ■  
All Black  
H 54cm (21")



**27117** ■  
Black & Pewter  
H 54cm (21")



**27030** ■  
Black & Antique  
H 54cm (21")

## Pony



**27125** ■  
All Black  
H 52cm (21")

## Rushton



**27054** ■  
All Black  
H 63.5cm (25")

## Cage



**27104** ■  
All Black  
Height 68.5cm (27")

## Woodman



**27155** ■  
All Black  
Height 61cm (24")

## Ball Top



**27112** ■  
Black & Pewter  
H 59cm (23")




**27128** ■  
All Pewter  
H59cm (23")



**27113** ■  
Black & Antique  
H 59cm (23")



**27094** ■  
All Black  
H59cm (23")



## Extending Nursery

**20053**

Extending Nursery Guard  
H67 W90/152.5 D45.5cm  
(26x36/60x18")



## Stove Nursery

**21085**


Stove Nursery Guard  
H75 W112 D86.5cm  
(29.5x44x34")



The Stove Nursery Guard is supplied with only one fixing kit.

Each kit will only connect the guard in one place on each side.

75mm Between Bars



## Bar Nursery

**21086**

Bar Nursery  
H75 W140 D48cm  
(29.5x55x19")



The Stove Nursery Guard is supplied with only one fixing kit.

Each kit will only connect the guard in one place on each side.

75 mm Between Bars

# Fireguards

Dynasty 3 Fold  
Black



**21030** ■  
H68 W43 Wings 21cm  
(26.75x17x8")

**21025** ■  
H72 W61 Wings 28cm  
(28.25x24x11")

Dynasty 3 Fold  
Antique



**21024** ■  
H68 W43 Wings 21cm  
(26.75x17x8")

**21021** ■  
H72 W61 Wings 28cm  
(28.25x24x11")

Dynasty 3 Fold  
Pewter




**21048** ■  
H68 W43 Wings 21cm  
(26.75x17x8")

## 3 Fold Rectangle



**21111** ■  
**Galvanised**  
H65 W41 Wings 20cm  
(25.5x16x8")

**21112** ■  
**Ant/Brass**  
H65 W41 Wings 20cm  
(25.5x16x8")



Dynasty 4 Fold  
Brass



**21011** ■  
H82 Panels 31.5cm (32x12")

**21028** ■  
H64 Panels 20cm (25x8")


**21029** ■  
H71 Panels 31.5cm (28x12")

**21026** ■  
H82 Panels 31.5cm (32x12")

Dynasty 4 Fold  
Black



### Arched



**21099** ■  
Black

H71 W61 Wings 28cm (28x24x11")

### Basic



**21096** ■  
Black

H63.5 W53 Wings 23cm (25x21x9")

### Wave



**21106** ■  
Black

H58 W48 Wings 21cm (22.75x19x8.25")

**21097** ■  
Black

H73.5 W61 Wings 30cm (29x24x11.75")


### Curved



**21107** ■  
Black

H60 W60 D15cm (23.5x23.5x6")

### 3 Fold Square



**21108** ■  
Black

H71 W51 Wings 25cm (28x20x10")

### Fan Guard



**21109** ■  
Black

H61 W76 D 13cm (24x30x5")

### 3 Fold Curved



**21110** ■  
Black

H60 W52 Wings 26cm (23.5x20.5x10")

### Spark Guard



**21069** ■  
Black

H63 W52 D9.5cm (25x20.5x4")

**21070** ■  
Black

H66.5 W66.5 D9.5cm (26x26x4")

### Domed Guard



**20051** ■  
Black

H60 W55.5 D22cm (23.5x22x8.5")

**20054** ■  
Black

H53 W48.5 D20cm (21x19x8")



Flat



Black

**20055** H61 W61cm (24x24")

Not suitable for fixing kit

Box Closed



**20018**

Black  
H61 W64 D23cm  
(24x25x9")

Arched Flat



Black

**20011** H61 W61cm (24x24")

**20082** H61 W76cm (24x30")

**20083** H68.5 W76cm (27x30")

Not suitable for fixing kit

Wedge



**20016**

Black  
H61 W58.5 D15cm  
(24x23x6")

Fixing kit 21500 available separately; see page 55 for details.

Curved



**20015**

Black  
H61 W58.5 D7.5cm  
(24x23x3")

Not suitable for fixing kit

Box Open



**20017**

Black  
H61 W64 D23cm  
(24x25x9")

All Classic firescreens can be made to your specific requirements please allow 10mm tolerance

All Firescreen frames made with a 10mm mild steel square bar  
Heights given for firescreens exclude handles.





# Classic Firescreens

## Winged



Black

**20085**  
H58.5 W45.5 D20cm  
(23x18x8")

**20086**  
H68.5 W76 D20cm  
(27x30x8")

**20020**  
H61 W61 D20cm  
(24x24x8")

**20087**  
H76 W91.5 D20cm  
(30x36x8")

## Sloping Box



**20061**  
Black  
H69 W61 D20.5cm  
(27X24X8")

## Bent Open



Black

**20088**  
H56 W63.5 D15.5cm  
(22x25x6")

**20089**  
H76 W76 D15.5cm  
(30x30x6")

**20013**  
H61 W66 D15.5cm  
(24x26x6")

## 3 Fold Arched



Black

**20098**  
H69 W76 D18cm  
(27x30x7")

## Arched Bent



**20074**  
Black  
H66 W66 D13cm  
(26x26x5")

All Classic firescreens can be made to your specific requirements  
please allow 10mm tolerance

All Firescreen frames made with a 10mm mild steel square bar  
Heights given for firescreens exclude handles.





## Double Rail Box Open



**20092**  
Black  
H65 W66 D17.5cm  
(25.5x26x7")



**20093**  
Steel Lacquer Finish  
H65 W66 D17.5cm  
(25.5x26x7")

## Bent Box



**20078**  
H61 W66 D15.5cm (24x26x6")

## Double Rail Fender Guard



**20094**  
Black  
H20 W61 D15cm  
(8x24x6")

## Arched Box



**20067**  
Black  
H71.5 W58.5 D15.5cm  
(28x23x6")

## Gothic Arch



**20103**  
Black  
H66 W65 D14cm  
(26x25.5x5.5")

All Classic firescreens can be made to your specific requirements  
please allow 10mm tolerance

All Firescreen frames made with a 10mm mild steel square bar  
Heights given for firescreens exclude handles.





Bowed Front

**20058**  
Black  
H60.5 W61 D22.5cm  
(24x24x9")

## Noble Screen Fixing Kit



Kit comprises:  
2 brackets (left and right hand),  
2 fixing bolts & nuts,  
2 wall brackets with adhesive pads,  
2 wall brackets for drilling,  
4 fixing screws & wall plugs.

Suitable for Noble Screens as shown

**21500**

## Heavy Stove Guard

Please note with this guard the depth cannot be greater than the width on any made to measure specials.



Black **20073** H61 W76 D62.5cm (24x30x24.5") 10mm Between Bars

Fixing kit 21500 available separately;

All Classic firescreens can be made to your specific requirements  
please allow 10mm tolerance

All Firescreen frames made with a 10mm mild steel square bar  
Heights given for firescreens exclude handles.



## Traditional Fire Backs - up to W61cm (24")

The thickness of our firebacks vary from ½" to 2" according to size. All firebacks are painted black.

To install, simply lean the fireback against the rear of the fireplace. Some firebacks are still hand moulded and cast in much the same way as they have been for generations. Apart from the aesthetic value, firebacks prevent scorching of the rear brickwork and help to radiate heat - a point worth remembering when installing a gas log or coal effect fire as they are equally effective with this type of appliance as with the traditional natural log or coal fire.

### Rose & Portcullis

**K39**  
22Kg



**35185**

W39.5 H53.5cm (15.5x21")

### Phoenix

**K18**  
40Kg



**35225**

W45.5 H56cm (18x22")

### Ironfounder

**K27**  
33Kg



**35226**

W48 H50.5cm (19x20")

### Tree of Life

**K9**  
35Kg



**35186**

W49.5 H73cm (19.5x28.75")

### Two Cherubs

**K36**  
48Kg



**35227**

W49.5 H68cm (19.5x26.75")

### Royal Coat of Arms

**K8**  
37Kg



**35188**

W53.5 H65.5cm (21x26")

### Fleur-de-lys

**K43F**  
21Kg



**35184**

W57.5 H41.5cm (22.5x16.5")

### Lion

**K43L**  
33Kg



**35224**

W59 H41.5cm (23.25x16.25")

### Coat of Arms 1635

**K6**  
36Kg



**35128**

W59.5 H51cm (23.5x20")

### Shield

**K20**  
40Kg



**35229**

W59 H57.5cm (23.25x22.5")

### Plain

**K6P**  
48Kg




**35129**

W60.5 H49.5cm (23.75x19.5")

### Pikemen

**K7**  
54Kg



**35228**

W59 H55cm (23.5x22")

Individual sizes & weights are provided for guidance only; due to the manufacturing process the actual product may vary.



## Traditional Fire Backs - up to W76cm (30")



Brick-backed fireplace is protected by a K7 Pikemen cast iron Fireback with Barley Twist Dogs supporting a 24" Swansnest basket.

### Rope Twist

**K37**  
**42Kg**



**35163**

W66 H49.5cm (26x19.5")

### Laughing Lion

**K13**  
**71Kg**



**35127**

W72.5 H65cm (28.5x25.5")

### Lion & Unicorn

**K1**  
**70Kg**



**35126**

W73.5 H66cm (28.75x26")

### Plain

**K13P**  
**57Kg**



**35140**

W74 H66.5cm (29x26")

### Horse Chestnut

**K51**  
**68Kg**



**35158**

W74 H64.5cm (29.25x25.25")

## Traditional Fire Backs - for the larger inglenook

### Royal Oak Large

**K22L**  
**180Kg**



**35124**

W107 H83.5cm (42x33.25")

**K47**  
**79Kg**

### Fairfax



**35187**

W86 H68.5cm (34x27")

**K4**  
**148Kg**

### Lion & Unicorn



**35162**

W96.5 H77.5cm (38.25x30.5")

### Royal Oak Midi

**K22**  
**113Kg**



**35125**

W84.5 H72cm (33.25x28.5")

**K41L**  
**114Kg**

### Medieval Large



**35183**

W87.5 H80.5cm (34.5x31.5")

## Reeded Panels

Please note: The larger reeded panels and Fire backs featured on pages 58 - 60 are particularly heavy, therefore in the interests of Health & Safety we recommend 2/3 people are used to lift or move them.



Cross section showing Reeded form



The above wood-paneled fireplace interior is lined with cast iron Reeded Panels and a 24" Swansnest basket supported by Barley Twist Dogs.

Individual sizes & weights are provided for guidance only; due to the manufacturing process the actual product may vary.

Reeded Panels are used where the complete interior of the fireplace is required to be lined, as is the case of the re-building of a Georgian fireplace, or when reproducing a "period style fireplace".

**35132** W40 H91.5cm (16x36") 41Kg

**35133** W40 H101.5cm (16x40") 43Kg

**35134** W45.5 H91.5cm (18x36") 46Kg

**35135** W45.5 H101.5cm (18x40") 49Kg

**35136** W76 H91.5cm (30x36") 78Kg

**35137** W76 H101.5cm (30x40") 87Kg

**35138** W122 H101.5cm (48x40") 145Kg

**35139** W152.5 H101.5cm (60x40") 156Kg

Sizes approximate - please allow 12mm (½") tolerance. Thickness 15mm (+/- 3mm)

## Traditional Firedogs

Firedogs are used as ornamental supports for Dog Grate/Baskets. Consideration should be given to the extra width required in a fireplace opening to accommodate the feet span of the dogs.

Cast Iron Dogs can, if preferred be used without a Dog Basket. Seasoned logs can be lent against the cross bars and burnt on the hearth base, providing there is a good draw in the chimney.

**All Firedogs sold as pairs**

### Ball Head Dogs

**G31**



All Bar Heights 150mm (6"). All British Made Dogs dimensions may vary by 15mm due to hand crafting

Medium **34115**  
W26 D52.5 H41.5cm  
(10.25x20.75x16.25")

### Column Dogs (Cast Iron)

**G41**



**35164**  
W21 D46.5 H38cm  
(8.25x18.25x15")  
All Bar Heights 15cm (6")

### Pinnacle Dogs (Cast Iron)

**G36**



**35122**  
W19.5 D48.5 H40.5cm  
(7.75x19x16")

All Bar Heights 15cm (6")

### Barley Twist Dogs (Cast Iron)

**G40**



**35123** W25.5 D46.5 H43cm  
(10x18.25x17")

## Ash Pans

All Heights 2cm

A20



- 34137** A20/A 16" Milner
- 34139** A20/C 11.5x9.25"
- 34141** A20/E 14.25x10.5"
- 34143** A20/G 17x10.5"
- 34146** A20/J 20.5x10.5"
- 34149** A20/M 18x15"

- 34138** A20/B 18" Milner
- 34140** A20/D 14.25x9.25"
- 34142** A20/F 15.75x10.5"
- 34145** A20/I 19.5x10.5"
- 34148** A20/L 25x15"
- 34151** A20/O 20x14"

## Ashpan Covers

A21



- 34119** A21/02 14.75x4"    **34120** A21/03 17.25x4"
- 34121** A21/04 21.25x4"    **34127** A21/13 Unique
- 34131** A21/18 Unique

Where a cover is marked as 'Unique' it is NOT a rectangular shape and only fits the baskets indicated in the listing on Page 62.

## Ash Pans

Dimensions for Ash Pans are category sizes relating to standard milner firebacks



**Please Note;**  
Ash Pan maybe supplied in a steel or black finish and design may vary

- Ashpan with lifter
- 34078** W40cm (16")
- 34079** W45cm (18")

## Ash Carriers



**35074**

Open Fire Ash Carrier to suit 16" & 18" Open Fires  
W43 H33cm (17x13")

**35075**

Room Heater Ash Carrier to suit Charnwood, Parkray & Trianco  
W40.5 H48cm (16x19")

**35082**

Open Fire Ash Carrier to suit 16" & 18" Open Fires  
W43 H33cm (17x13") Black

## Kettle



Weight  
4Kg

**35240**

Kettle with Coil Handle  
W26 D21 H23cm (10x8.25x9")

**This item is water proof but is coated in a protective paint on the inside, therefore it is recommended for decorative use only.**



## Portcullis with Swan Neck & Back



**G21**

**G21 with Fleur-de-Lys Back:**  
Standard **34191**  
Medium **34194**  
(Standard F-D-L shown):

**G21 with Plain Back:**  
Standard **34192**

**G21 with Lion Back:**  
Medium **34196**



## Portcullis with Swan Neck **G20**



Dimensions:

Standard - W48.5 D35 H33.5cm (19x13.75x13.25")  
Medium - W64 D35 H33.5cm (25.25x13.75x13.25")

Ashpans, Draught Covers and replacement Grids available - See attached table for details

**G20 Basket:**

Standard **34188** - Medium **34189**

When fitting the optional slot-in firebacks the overall height will increase by approx. 135mm (5.25") with the Standard size and approx. 19cm (7.5") with the Medium Sizes



**G24**

## Ducksnest

**G24 Dimensions:**  
Standard - W54.5 D27.5 H25cm (21.5x10.75x9.75")  
Medium - W61.5 D33 H26cm (24.25x13x10.25")  
Large - W75 D44 H28.5cm (29.5x17.25x11.25")

Ashpans, Covers and replacement Grids available - See attached table for details

## Ducksnest for Dogs **G26** (Shown with British Ball Head Dogs)



**G26**

**G26 Dimensions:**

Standard W62/54.5 D27.5 H15cm (24.5/21.5x10.75x6")  
Medium W75/61.5 D33 H15cm (29.5/24.25x13x6")

Dimensions do not include Firedogs. Depending on choice, Firedogs will lift these baskets by 6-7" and extend the width by 6-12". Please see page 62 for Firedog dimensions.

**G24 Basket:** Standard **34109**  
Medium **34110**  
Large **34111**

**G26 Ducksnest for Dogs:** Standard **34112**  
Medium **34113**

Detailed below for former Kingsworthy Products.

Easy reference guide for Ashpan, Draught Cover & Replacement Grid.

CODE	DESCRIPTION	ASHPAN	COVER	GRID
34103	G61 MINI POPULAR PLAIN	34140	34119	35174
34104	G61 STANDARD POPULAR PLAIN	34143	34120	1pr x 35173
34105	G61 MEDIUM POPULAR PLAIN	34146	34121	1pr x 35173 + 3 x 35144
34106	G14 MINI POPULAR - BLACK KNOBS	34140	34119	35174
34107	G14 STANDARD POPULAR - BLACK KNOBS	34143	34120	1pr x 35173
34108	G14 MEDIUM POPULAR - BLACK KNOBS	34146	34121	1pr x 35173 + 3 x 35144
34109	G24 STANDARD DUCKNEST	34139		1 x 35171 + 6 x 35143
34110	G24 MEDIUM DUCKNEST	34142	34131	1pr x 35173 + 6 x 35144
34111	G24 LARGE DUCKNEST	34151	34127	2 X 35174
34112	G26 STANDARD DUCKNEST FOR DOGS		34120	1 x 35171 + 6 x 35143
34113	G26 MEDIUM DUCKNEST FOR DOGS		34121	1pr x 35173 + 6 x 35144
34152/53	G15 MINI POPULAR + VARIOUS FIREBACK OPTIONS	34140	34119	35174
34155/56	G15 STANDARD POPULAR + VARIOUS FIREBACK OPTIONS	34143	34120	1pr x 35173
34158/59	G15 MEDIUM POPULAR + VARIOUS FIREBACK OPTIONS	34146	34121	1pr x 35173 + 3 x 35144
34161/62	G63 MINI POPULAR PLAIN + VARIOUS FIREBACK OPTIONS	34140	34119	35174
34164/65	G63 STANDARD POPULAR PLAIN + VARIOUS FIREBACK OPTIONS	34143	34120	1pr x 35173
34167/68	G63 MEDIUM POPULAR PLAIN + VARIOUS FIREBACK OPTIONS	34146	34121	1pr x 35173 + 3 x 35144
34176	G68 MINI MODULA	34140	Inc	35174
34177	G68 STANDARD MODULA	34143	Inc	1pr x 35173
34178	G68 MEDIUM MODULA	34146	Inc	1pr x 35173 + 3 x 35144
34179/80	G69 MINI MODULA + VARIOUS FIREBACK OPTIONS	34140	Inc	35174
34182/83	G69 STANDARD MODULA + VARIOUS FIREBACK OPTIONS	34143	Inc	1pr x 35173
34185/86	G69 MEDIUM MODULA + VARIOUS FIREBACK OPTIONS	34146	Inc	1pr x 35173 + 3 x 35144
34188	G20 STANDARD PORTCULLIS WITH SWAN NECK	34141	34120	1pr x 35173
34189	G20 MEDIUM PORTCULLIS WITH SWAN NECK	34146	34121	1pr x 35173 + 3 x 35144
34191/92	G21 STANDARD PORTCULLIS WITH SWAN NECK + VARIOUS FB'S	34141	34120	1pr x 35173
34194/96	G21 MEDIUM PORTCULLIS WITH SWAN NECK + VARIOUS FB'S	34146	34121	1pr x 35173 + 3 x 35144



# Firebaskets

## Popular - Black Knobs



**G14**

Dimensions:

- Mini - W45 D29 H31cm (17.75x11.5x12.25")
- Standard - W52 D34.5 H34.5cm (20.5x13.5x13.5")
- Medium - W60.5 D34.5 H34.5cm (23.75x13.5x13.5")

Ashpans, Draught Covers and replacement Grids available - See Page 62 for details

**G14 Basket:**

Mini **34106** - Standard **34107** - Medium **34108**

When fitting the optional slot-in firebacks the overall height will increase by approx. 90mm (3.5") with the Mini size and approx. 135mm (5.25") with the Standard and Medium Sizes

## Popular - Black Knobs with Back



**G15**



**G15 with Fleur-de-Lys Back:**

- Mini **34152**
  - Standard **34155**
  - Medium **34158**
- (Standard F-D-L shown)



**G15 with Plain Back:**

- Mini **34153**
- Standard **34156**
- Medium **34159**

## Popular Plain



**G61**

Dimensions:

- Mini - W42 D27.5 H25cm (16.5x10.75x9.75")
- Standard - W49 D33 H25cm (19.25x13x9.75")
- Medium - W58 D34.5 H25cm (22.75x13.5x9.75")

Ashpans, Draught Covers and replacement Grids available - See Page 62 for details

**G61 Basket:**

Mini **34103** - Standard **34104** - Medium **34105**

When fitting the optional slot-in firebacks the overall height will increase by approx. 145mm (5.75") with the Mini size and approx. 235mm (9.25") with the Standard and Medium Sizes

## Popular Plain with Back



**G63**



**G63 with Fleur-de-Lys Back:**

- Mini **34161**
- Standard **34164**
- Medium **34167**



**G63 with Plain Back:**

- Mini **34162**
- Standard **34165**
- Medium **34168**

## Modula

Includes Draught Cover



**G68**

Dimensions:

- Mini - W43 D28 H25.5cm (17x11x10")
- Standard - W49.5 D33.5 H25.5cm (19.5x13.25x10")
- Medium - W58.5 D33.5 H25.5cm (23x13.25x10")

Ashpans and replacement Grids available - See Page 62 for details

**G68 Basket:** Mini **34176** - Standard **34177** - Medium **34178**

When fitting the optional slot-in firebacks the overall height will increase by approx. 180mm (7") with the Mini size and approx. 260mm (10.25") with the Standard and Medium Sizes

## Modula with Back

Includes Draught Cover



**G69**



**G69 with Fleur-de-Lys Back:**

- Mini **34179**
- Standard **34182**
- Medium **34185**



**G69 with Plain Back:**

- Mini **34180**
  - Standard **34183**
  - Medium **34186**
- (Mini Plain shown):

# Firebaskets

## Spanish with Back



**C9Std**  
23Kg



**C9Med**  
28Kg

Combined Cover/Ashpan's sold separately.  
Replacement Grids available.

C9 Standard **35176**  
W47 D29 H45.5cm (18.5x11.5x18")  
Combined Cover/Ashpan **35191**  
Replacement Grid **35246**

C9 Medium **35177**  
W54.5 D30 H46.5cm (21.5x11.75x18.25")  
Combined Cover/Ashpan **35192**  
Replacement Grid **35247**

## Cromwell with Back



**C11B**  
25Kg

Combined Cover/Ashpan's sold separately

C11B Standard **35239** W43 D27.5 H33.5 (17x10.75x13.25")  
Combined Cover/Ashpan - Standard **35195**  
(Fireback Only K60 **35161**)

Individual weights are provided for guidance only; the actual product may vary slightly.

## Adam No.2



**C2**  
40Kg

Cover sold separately

C2 Basket **35120** W57 D30 H63.5cm (22.5x13x25")  
Cover **35193**

**C12**



## Cromwell

These weights are heavier than many other suppliers standard items.  
Combined Cover/Ashpan's sold separately

Weights:  
Standard - 11.5Kg  
Large - 15.5Kg



C12 Standard **35241** W43 D27.5 H15cm (17x10.75x6")  
C12 Large **35242** W53.5 D30.5 H15cm (21x12x6")  
Combined Cover/Ashpan: Standard **35195** - Large **35196**

Small **35244** W37 D26 H16cm (14.5x10x6")  
(This item does not come with a cover or ashpan)  
Weight Small - 7Kg

## Swansnest for dogs



Shown on G36 Pinnacle Dogs (not included) see page 60  
Dimensions do not include firedogs

- C13 18" **35166** W44 D28 H16.5cm (17.25x11x6.5")
- C13 24" **35167** W59 D32 H16.5cm (23.25x12.5x6.5")
- C13 30" **35168** W73 D40.5 H16.5cm (28.75x16x6.5")
- C13 36" **35169** W90 D41.5 H16.5cm (35.5x16.25x6.5")

## Swansnest freestanding



Supplied with Plain Legs as shown.  
Dimensions as C13 range with Height increased to 24cm (9.5")

- With Plain Legs:
- C14 18" **35208**
  - C14 24" **35210**
  - C14 30" **35212**
  - C14 36" **35214**

## Swansnest - 3 sided for dogs



Shown on G40 Barley Twist Dogs (not included) see page 60.  
Dimensions do not include firedogs

- C20 18" **35145** W44.5 D30.5 H16.5cm (17.5x12x6.5")
- C20 24" **35146** W61 D35.5 H16.5cm (24x14x6.5")
- C20 30" **35147** W75 D41.5 H16.5cm (29.5x16.25x6.5")
- C20 36" **35148** W89 D41.5 H16.5cm (35x16.25x6.5")
- C20 42" **35149** W104 D41.5 H16.5cm (41x16.25x6.5")

## Swansnest - 3 sided freestanding



Supplied with Plain Legs as shown.  
Dimensions as C20 range with Height increased to 24cm (9.5")

- With Plain Legs:
- C21 18" **35198**
  - C21 24" **35200**
  - C21 30" **35202**
  - C21 36" **35204**
  - C21 42" **35206**

## Log Cradle for dogs



Shown on G41 Column Dogs (not included) see page 60  
Use with bar at front or back.  
Dimensions do not include firedogs

- C30 18" **35155** W44.5 D30.5 H10cm (17.5x12x4")
- C30 24" **35156** W61 D35.5 H10cm (24x14x4")
- C30 30" **35157** W75 D41.5 H10cm (29.5x16.25x4")

## Log Cradle freestanding



Supplied with Plain Legs as shown.  
Dimensions as C30 range with Height increased to 16.5cm (6.5")  
Use with bar at front or back

- Plain Legs:
- C31 18" **35216**
  - C31 24" **35218**
  - C31 30" **35220**

## Castle



**35090**

W57 D28 H44cm (22x11x17")  
Solid Fuel Kit **SFK22C 35114**

Solid Fuel Kit  
sold separately

## Valencia



Solid Fuel Kits  
sold separately

16" **35099** W40 D33 H22cm. Solid Fuel Kit **SFK23 35110**  
18" **35100** W47 D33.5 H22cm. Solid Fuel Kit **SFK12 35112**  
21" **35101** W55 D33 H22cm. Solid Fuel Kit **SFK14 35116**

Individual sizes & weights are provided for guidance only; due to the manufacturing process the actual product may vary.



## Elan

Solid Fuel Kit  
sold separately

**35040**

Black Elan With Back  
W46 D30.5 H41cm  
(18x12x16")

**35112**

Solid Fuel Kit **SFK12**

## The Matrix



Solid Fuel Kit  
sold separately

**35093**

Black  
W51.5 D30 H39.5cm  
(20x12x15.5")

**35116**

Solid Fuel Kit **SFK14**

## Krypton



Solid Fuel Kit  
sold separately

**35091**

Black  
W53.5 D26 H19cm  
(21x10.25x7.5")

**35115**

Solid Fuel Kit **SFK22K**



Solid Fuel Kit  
sold separately

**35092**

Polished  
W53.5 D26 H19cm  
(21x10.25x7.5")

**35115**

Solid Fuel Kit **SFK22K**

Polished firebaskets are not recommended for use with solid fuel

Polished surface can also discolour when used with a gas fire

## Fire Grates

### Regal

**35001**

W40cm (16")

Regal 16"  
Width Front 38cm  
Width Back 25.5cm  
Sides 24cm



### Guardette Grate

**35004**

W40cm (16")

**35005**

W45cm (18")

Guardette 16"  
Width Front 39cm  
Width Back 24.5cm  
Sides 21cm  
Guardette 18"  
Width Front 44cm  
Width Back 31.5cm  
Sides 23cm



### Joyce Grate & Front

**35002**

W40cm (16")

**35003**

W45cm (18")

Joyce 16"  
Width Front 38cm  
Width Back 24.5cm  
Sides 22cm  
Joyce 18"  
Width Front 42cm  
Width Back 29.5cm  
Sides 22cm



### Standard Grate

**35006**

W40cm (16")

**35007**

W45cm (18")

Standard 16"  
Width Front 37.5cm  
Width Back 25cm  
Sides 20cm  
Standard 18"  
Width Front 43cm  
Width Back 30cm  
Sides 20cm



## Milner Grids



**35141** 40.5cm (16")

WF31.5xWB21.5xD20.8cm  
(12.5x8.5x8.25")

**35142** 45.5cm (18")

WF36.1xWB26.1xD20.8cm  
(14.25x10.25x8.25")

## Loose Bars

Used in conjunction with  
Rectangular Grids on some baskets.



**35143**

Standard 25x3cm (9.75x1.25")

**35144**

Medium 28x3cm (11x1.25")

## Rectangular Grids

See list on right for details of which  
grid is used on which basket



**35171** A18 Ref.B 39.5x24cm (15.5x9.5")

**35172** A18 Ref.C 45.5x30.5cm (18x12")

**35173** A18 Ref.F (Sold in pairs) each one  
measures 21.5x28cm (8.5x11")

**35174** A18 Ref.G 37.5x22cm (14.75x8.75")

**35246** C09 18" Spanish Grid (15x9.5")

**35247** C09 21" Spanish Grid (18x9.5")

# Frets & Solid Fuel

## Beacon Solid Fuel Kit



Includes Beacon Fret, Grate & Ashpan

**35076** W40cm (16")

**35104** W45cm (18")

Ash pan may vary in style

## Style Solid Fuel Kit



Includes Style Fret, Grate & Ashpan

**35080** W40cm (16")

**35102** W45cm (18")

Ash pan may vary in style

## Castle Solid Fuel Kit



Includes Castle Fret, Grate & Ashpan

**35103** W40cm (16")

**35107** W45cm (18")

Ash pan may vary in style

## N Type Solid Fuel Kit



Includes N Type Fret, Grate & Ashpan

**35108** W40cm (16")

**35109** W45cm (18")

Ash pan may vary in style

## Windsor Inset



- 35130** 16" Windsor Inset
- 34078** 16" Replacement Ash Pan
- 35130G** 16" Replacement Grid

Dimensions:  
16"- W40.5/20 D28 H22cm (16/9.5x11x8.75")

- 35131** 18" Windsor Inset
- 34079** 18" Replacement Ash Pan
- 35131G** 18" Replacement Grid

Dimensions:  
18"- W45.5/28.5 D28.5 H22cm (18/11.25x11.25x8.75")


Includes Windsor Fret, Grate, Ashpan & Draught Cover. Ashpan may vary in style

## Castle



- Black**
- 33070** W40cm (16") H19cm (7.5")
  - 33072** W45cm (18") H20cm (8")

## N Type



- Black**
- 33066** W40cm (16") H14cm (5.5")
  - 33068** W45cm (18") H14cm (5.5")

## Style



- Black**
- 33074** W40cm (16") H23cm (8.75")
  - 33075** W45cm (18") H23cm (8.75")

## Beacon



- Black**
- 33021** W40cm (16") H20cm (8")
  - 33024** W45cm (18") H20cm (8")

## Aviva

Measurements for all Aviva Frets Height: 21.5cm (8.5")



Black  
**33095** W40cm (16")



Chrome  
**33096** W40cm (16")

Brass  
**33098** W40cm (16")



Satin Chrome  
**33097** W40cm (16")



## Daisy

Measurements for all Daisy Frets Width: 40cm (16") Height: 22cm (8.75")



Black  
**33085**



Brass  
**33086**



Chrome  
**33088**



Black & Chrome  
**33089**



Black & Brass  
**33087**

## Bauhaus



*With the Bauhaus Fret choose a black finish for use with solid fuel as polished surfaces change colour with heat. Polished surfaces can also be affected by the heat from gas appliances, although the resultant discolouration will be much less noticeable.*

Black Cast Iron

**33043** W40cm (16") H26cm (10.25")

**33046** W45cm (18") H27cm (10.5")

Antique

**33045** W40cm (16")

H26cm (10.25")

Polished

**33044** W40cm (16") H26cm (10.25")

## Blenheim

Measurements for all Blenheim Frets Width: 40cm (16") Height: 19cm (8.5")



Black Cast Iron

**33011**

Chrome

**33077**

Black & Brass

**33015**

## Grace

Measurements for all Grace Frets Width: 40cm (16") Height: 20.5cm (8")



Black

**33079**

Chrome

**33081**

Brass

**33080**



## British Club Fenders - Key: BB = Brass Backs fitted as standard. MES = Minimum extending size possible.

Antique Brass & Satin Chrome finishes now available or any combination i.e. Black & Satin Chrome



Spiral Black

Illustrated seat colour is Burgundy, with a black finish  
 Made to measure only, (122cm) 4' minimum width.  
 3 row 'deep' buttons as standard.  
 Seat size shown approx 16.5x52cm (W6.5"H20.5")

Incorporating the finest quality hide with close attention to detail, the Club range offers the perfect solution for an exclusive fireside setting. With a range of seat covers including Burgundy, Antique Green, Antique Red, Burnt Copper, Earth Brown, Ocean Blue and Black. Seat styles can be varied to suit personal requirements with models illustrated depicting standard seat designs. For reasons of stability, we recommend a minimum base return of 12"(30cm). We will be pleased to provide a quotation for special sizes and configurations which can be manufactured to your requirements. Optional Brass Backs are available on all models, with the exception of the Regal Club and Spiral Black but are fitted as standard on the Canterbury.



Majestic

Illustrated seat colour is Ocean Blue, with a Brass finish.  
 MES (122x152.5cm) 4/5' .3 row 'float' buttons as standard.  
 Seat size shown approx 19.5x51cm (W7.75"H20")



Mini Majestic

Illustrated seat colour is Burgundy, with a Brass finish.  
 MES 4/5'. 2 row 'float' buttons as standard.  
 Seat size shown approx 16.5x25.4cm (W6.5"H14")



Illustrated seat colour is Burgundy with a Brass finish




Illustrated seat colour is Ocean Blue with a Satin Chrome finish



Illustrated seat colour is Earth Brown with a Antique Brass finish


Regal

MES (1220x1525mm) 4/5'. Unbuttoned as standard. Seat size shown approx 16.5x46cm (W6.5"H18")



Canterbury

Illustrated seat colour is Antique Green with a Brass finish  
 Made to measure only, (122cm) 4' minimum width.  
 3 row 'deep' buttons as standard.  
 BB Seat size shown approx 16.5x46cm (W6.5"H18")



Regal

Illustrated seat colour is Burgundy with a Brass finish

Made to measure only. 5' (152.5cm) minimum width.  
 3 row 'deep' buttons as standard. Seat size shown approx 16.5x52cm (W6.5"H20.5")



# Fenders



## British Fenders

All standard fenders have INTERNAL dimensions of 122/152.5 x 38cm (4/5'x15"), unless otherwise stated. We offer a bespoke service where width and depth dimensions as well as various finish options can be provided. Base only dimensions H5cm D5cm.



Classic 6 Brass  
30045



Classic 6 Black & Brass  
30055



Classic 6 Black & Silver  
30065



Classic 6 Silver  
30075



To ensure goods are received in perfect condition, the fenders on this page are supplied in 3 pieces for easy showroom or home fitting.



## British Fenders

All standard fenders have INTERNAL dimensions of 122/152.5 x 38cm (4/5'x15"), unless otherwise stated. We offer a bespoke service where width and depth dimensions as well as various finish options can be provided.



Classic Base Brass  
**30035**



Classic Base Black  
**30255**



Classic Base Steel  
**30085**

**Classic Base Fenders - Base only dimensions H5cm D5cm**



To ensure goods are received in perfect condition, the fenders on this page are supplied in 3 pieces for easy showroom or home fitting.

All standard fenders have INTERNAL dimensions of 122/152.5 x38cm (4/5'x15"), unless otherwise stated. The fenders offered on this page are only available in standard sizes and finishes.  
All Base dimensions H6.5cm D6.5cm, Height to top of Bars H13cm

6 Urn - 3 Piece




**31000**  
Black

6 Ball - 3 Piece



**31002**  
Black

6 Ball - 3 Piece



**31003**  
Black  
& Brass

Spiral Twist - 3 Piece



**31004**  
Black

Plain Base - 3 Piece



**31006**  
Black

6 Ball - 3 Piece



**31007**  
Black &  
Satin Nickel

## Candle Lanterns



Candles not included

Indoor/Outdoor  
Brushed Gold Square Lanterns

**24003S**  
**Small**

H35 W27 D27cm  
(13.75"x10.5"x10.5")  
Height with  
handle 45cm

**24003M**  
**Medium**

H40 W32 D32cm  
(15.75"x12.5"x12.5")  
Height with  
handle 55cm

**24003L**  
**Large**

H45 W37 D37cm  
(17.75"x14.5"x14.5")  
Height with  
handle 63cm



Candles not included

Indoor/Outdoor  
Brushed Gold Round Lanterns

**24004S**  
**Small**

H42 Dia24cm  
(16.5"x9.5")  
Height with  
handle 53.5cm

**24004M**  
**Medium**

H44.5 Dia27cm  
(17.5"x10.5")  
Height with  
handle 57.5cm

**24004L**  
**Large**

H52.5 Dia32cm  
(20.5"x12.5")  
Height with  
handle 68cm



**24009**

Wall Planter Galvanised  
W10 Dia 40cm  
(4"x15.75")



**24010**

Boot Rack  
H52.5 W56.5 D23cm  
(20.5"x22.25"x9")

Elevate the aesthetic of your room or outdoor area with our range of decorative tree, metal wall art. The lightweight nature of this product makes it effortless to install. With its elegant design and contemporary charm, the wall art is the perfect centrepiece for any room. Attach to the wall using the built in installation features, some of the wall arts already have drilled holes for installation and some you may have to drill new holes.

Items with the standard powder coating can be used outdoors as well as indoors but when using outdoors these will go rusty over time. Items with the natural rust finish are useable indoor and outdoor.



**24000**  
W100 H76cm  
Standard Powder coating



**24001**  
W100 H54cm  
Standard Powder coating



**24002**  
W83 H69cm  
Standard Powder coating



**24005**  
W59.5 H75.5cm  
Natural rust finish



**24006**  
Dia 70.5cm  
Natural rust finish



**24007**  
W82 H75.5cm  
Natural rust finish

## The Calcube



British manufactured using 3mm mild steel. Available in two sizes, delivered flat packed, no nuts or bolts and only takes two minutes to slot together.



Calcube One Fire Basket  
H:30 x D:30 x W:30cm (12x12x12")  
**38022**

Calcube Two Fire Basket  
H:30 x D:30 x W:45cm (12x12x18")  
**38023**

## Premium Fire Bowls



Large  
Dia:69 H:31cm (27x12")  
**38014**

Medium  
Dia:57 H:31cm (22x12")  
**38015**



Small  
Dia:39.5 H:29.5cm  
(15.5x11.5")  
**38016**



Large BBQ Rack  
**38018**

Small/Medium BBQ Rack  
**38019**

Premium Fire Bowls made from 1.5mm steel and powdered coated for extra protection.

The Standard bowl is available in three sizes and the Stool Bowl is only available in a medium.

Also Available is the BBQ grille so you can cook your favourites at the same time.

Stool Fire Bowl  
Dia:57.5 H:29.5cm  
(22.5x11.5")  
**38017**



# Welcome to the CALFIRE FIRESIDE COLLECTION.

CALFIRE is a long established family group of companies with a strong reputation for quality products and service throughout the heating and fireplace industry. Friendly and approachable, CALFIRE prides itself on customer service.

In November 2010 CALFIRE, took over the supply and distribution of the exceptional Kingsworthy Foundry range of fireside accessories for log and coal burning fires. As a result, CALFIRE now offer the most comprehensive range of quality cast iron firebacks, firebaskets, swansnest baskets, ducksnest baskets, firedogs and reeded panels together with superb quality British Made steel firebaskets and blacksmith produced firedogs.

CALFIRE are unique within the fireplace and heating industry with their extensive product related ranges. In addition to offering a most comprehensive selection of Fireside Accessories they are also:

- ✎ The official UK distributor for StoveBright® High-Temperature Paint, selling the product in aerosol and touch-up forms to retailers as well as in bulk liquid form to many of the leading UK traditional Woodburning Stove Manufacturers. Visit the UK specific StoveBright® website at [www.stovebright.co.uk](http://www.stovebright.co.uk) for full information.
- ✎ The official UK distributor for Ecofans®. These products sit on the top of woodburning stoves and assist in distributing the stoves heat without using mains or battery power. Improved warm air circulation results in greater comfort and less fuel consumption. Ecofans® are a great favourite with the countries many Narrow Boat enthusiasts. Visit the UK specific Ecofan® website at [www.ecofan.co.uk](http://www.ecofan.co.uk) for full information.
- ✎ A major supplier of Replacement Stove Glass offering Schott Robax Ceramic Glass panels, Borofloat Strips as well as Mica. All popular sizes are available 'off the shelf' with in house facilities available for cutting your special requirements.

## Terms & Conditions of Sale

### 1 GENERAL

These conditions shall apply to all of our quotations and all contracts, and orders for the sale of goods accepted by us. Any other terms, conditions, warranties or representations, whether made prior to collateral with, or subsequent to the contract or order, are hereby excluded. Special or additional terms of the purchaser contained in his order or otherwise shall be of no effect unless the same be separately brought to our notice and express consent thereto is given in our written acceptance.

### 2 DOCUMENTS

- a) All literature, illustrations, drawings, specifications, weights, measure, technical data, estimates of performance that we supply have been prepared by the Manufacturers of the goods and accordingly we cannot accept any liability for any inaccuracy, omission, variation of any kind or for any loss howsoever caused arising out of the supply of such and they shall not form part of any contract or be binding in any way.
- b) We reserve the right at any time to correct clerical or technical errors in the contract documents.
- c) The purchaser shall furnish us with all necessary specifications with the order. We take no responsibility for goods manufactured, price, or delivery not in accordance with the order or the specification or any requirements of any Government or other inspecting authority. It is the purchaser's duty to check that any technical information supplied by us and any particulars included in our acknowledgment confirming those specifications are correctly set out.

### 3 PRICES

Quotations only refer to goods and articles specified therein and available at the time of quotation. All selling prices contained in the quotation are ex-works except where expressly altered within the quotation, are net and exclude VAT and are those ruling at the date of quotation. They are provisional only and are subject to revision by us at any time without notice before the goods are despatched to take into account of subsequent variations in the cost of materials, labour, awards or increases in overhead cost. Prices may also be revised where the purchaser calls down quantities smaller than those specified in his order. The purchaser shall pay the price as so revised. VAT shall be charged at the appropriate rate in force at the time of invoicing.

### 4 TERMS OF PAYMENT

- a) Unless otherwise stipulated on our invoice, all accounts are strictly net monthly account.
- b) Where the contract is to be or may be fulfilled in separate installments, deliveries or parts, payment for such installment, delivery or part shall be made under sub-clause (a) hereof as if the same constituted a separate contract.
- c) Should the purchaser fail punctually with the terms of payment, we shall be entitled to charge interest on any overdue account at the rate of 2½% over and above the Midland Bank Base rate charged per month.

### 5 TITLE

- a) Title to the product shall not pass to the purchaser until payment has been received in full by us of (i) the price thereof and (ii) all other sums owing to us.
- b) Until payment of all such sums, the purchaser shall hold the products as agent for us and shall store them on his premises separately from his own goods or those of any other person and in a manner, which makes them readily identifiable as our goods.
- c) The purchaser may sell the goods as agent and bailee for us, but as against any third party the sale by the purchaser shall be as in principal such of the proceeds of any sale as is equal to the price to the purchaser of the goods shall be held in trust for us and shall not be mingled with any other monies or paid into an overdrawn bank account and shall at all times be identifiable as our money.
- d) If the goods are admitted, consumed, converted or otherwise become constituents of other goods the property of the purchaser before payment has been received by us and before title to the goods has passed to the purchaser, the goods, including all of any such other goods, shall be the property of us and the purchaser declares itself a trustee of such goods for us until such payment is made in full to us and the purchaser shall hold such goods and the entire proceeds of sale and any rights arising from the sale thereof as trustee for us.
- e) If at any time before title of the goods shall have passed to the purchaser we may, for the purpose of recovery of the goods, enter upon any premises where the goods are stored, or where they are reasonably thought to be stored, and may repossess them and the purchaser grants us such licences as may be necessary for the purpose of entry to any premises of the purchaser.

### 6 TIME OF DESPATCH

All periods for despatch and delivery expressed in the contract are approximate only. We use all reasonable endeavours to effect despatches within the stipulated period, or if no such period be stipulated, within a reasonable amount of time. However, we shall be under no liability for any loss or damage to the purchaser or others arising directly or indirectly out of late despatch or delivery, whether due to our default or not, nor shall such late despatch or delivery be deemed to be breach of contract, nor entitle the purchaser to cancel the contract.

### 7 DELIVERY

- a) When delivery is effected on our vehicles or by an independent contractor arranged by us, the purchaser having had prior notification, shall be bound to accept delivery of the goods on arrival at his works, when sole risk in the goods shall pass to the purchaser. Where payment in full has not been received the purchaser as agents shall, on delivery, insure and keep fully insured the goods against all and every risk, including specifically but without prejudice to the generality of the foregoing damage by the purchaser or third parties, fires, explosion, aircraft, theft, tempest and flood; and the purchaser shall also be responsible for the maintenance and care of the goods and, in addition to indemnifying us against any depreciation in the value of the goods, shall also indemnify us against any damage caused to the goods should payment in full not be made.
- b) The purchaser to notify us and the carrier in writing (otherwise than upon the carrier's documents), of any damage in transit, mis-delivery, or quantity discrepancy immediately on arrival. The purchaser must notify us and their carrier in writing (otherwise than on the carrier's documents) of any non-delivery within 5 working days where delivery is effected through the post, by road or British Rail, and 2 working days where delivery is effected on our own vehicles; in all cases from the date of despatch advised to the purchaser.
- c) Where delivery is effected on the purchaser's vehicle or is arranged by him, risk in the goods shall pass to the purchaser on delivery to the carrier, whether he be the purchaser's servant or agent or an independent contractor arranged by the purchaser.
- d) Without prejudice to our other rights, should the purchaser for any reason fail to accept delivery of the goods on arrival (prior notification having been made) then, at the entire risk and expenses of the purchaser, we shall be entitled to store the goods and/or to procure or effect storage of goods elsewhere and we shall further be entitled to be paid by the purchaser for the cost of re-delivery and storage of goods.
- e) To stop any delivery (prior notification having been made) the purchaser must give in writing 7 working days notice.

### 8 RETURNED GOODS

We cannot accept the return of goods already delivered to the purchaser otherwise than pursuant to clause 7 (c) hereof or by special arrangement, and then subject to the appropriate restocking charge which shall not be less than 10% of the net invoice value.

### 9 INDEMNITY

The purchaser shall indemnify us against all actions, claims, demands, penalties and cost by third parties in tort, or for infringement or alleged infringements of patents or registered designs or otherwise arising in connection with the goods or their delivery or unloading or with work done by us in accordance with the purchasers specifications.

### 10 EXCLUSION OF LIABILITY

We are hereby expressly excluded from any liability howsoever arising in respect of any express of implied condition, statement, representation or warranty, statutory or otherwise relating to any goods supplied by us. However, without prejudice to the foregoing, we are prepared to assist in the execution of any Manufacturer's warranties and guarantees.

### 11 INSOLVENCY

If the purchaser shall make default in, or commit any breach of, any of his obligations to us (whether under this agreement or otherwise), or wrongfully stop payment of any debt, or is deemed to be unable to pay its debts within the meaning of such Insolvency Act as shall be current at the date of the contract, and if any distress or execution should be levied upon the purchaser, his property or assets, or if the purchaser shall make or offer to make any arrangements or composition with creditors to commit any act of bankruptcy, or if any petition or receiving order in bankruptcy shall be presented or made against the purchaser, or if the purchaser shall be a limited company and any resolution or petition to wind up such company's business shall be passed or presented (otherwise than for reconstruction or amalgamation only), or if a receiver of such company's undertaking property or assets or any part thereof shall be appointed then in any such case we shall have the right forthwith to determine the contract in whole or in part by notice in writing to the purchaser and repossess any of the goods of which title has not passed to the purchaser pursuant to condition 5 hereof.

### 12 MISCELLANEOUS

- a) The granting of this, or the neglect or forbearance on the part of us in enforcing any of these conditions, shall neither be nor be deemed to be, a waiver or in any way prejudice any right of us under these conditions.
- b) If any term, paragraph or provision of these conditions shall be held to be invalid or unenforceable for whatever reason, such invalidity or unenforceability shall not affect the operation of any other term, paragraph or provision.
- c) This contract applies to further purchases that the purchaser makes and shall be governed in accordance with the laws of England and we and the purchaser both submit to the jurisdiction of the English courts.
- d) If any part of this contract shall be rendered invalid by operation of law then, to the extent allowed by law, the remainder of this contract shall remain in force and such part of this contract as has been rendered inoperable shall be deemed to be replaced by a clause of similar nature and effect but to the extent allowed by law.



[www.calfire.com](http://www.calfire.com)

☎ 01691 772922

Calfire Spareline Ltd, Gledrid, Chirk, Wrexham LL14 5DG



Major UK Wholesaler of  
Fireside Accessories, Service  
& Maintenance Products

Official UK Distributors  
for the Caframo Ecofan 

Official UK Distributors  
for Stove Bright HD Paint  **Stove Bright**

Major UK Supplier of  
Schott Robax Stove Glass

